
SUBMIT IN TRIP! ATE

Form approved. Budget Bureau No. 42-B1425.

UNITED STATES
DEPARTMENT OF THE INTERIOR

UNITED STATES (Other instruction reverse side)

	DEPARTMENT	OF THE I	4 1 7-17	NON.		1.5	DEBIGNATIO	* .	HAL RO.	
	GEOLO	GICAL SURVE	ΞY			I	20-603			
APPLICATION	N FOR PERMIT T	O DRILL, [DEEPE	N, OR PLUG B	ACK		AN, ALLOTT	EE OR TRIE	BE NAMB	
1a. TYPE OF WORK							AJO =	NAME		
	LL XX	DEEPEN [PLUG BAC	к П [°]	1101 9 1.6	late:	.).i.i		
b. TYPE OF WELL	AS OTHER			NGLE MULTIPL	• 🗆 🗀	1= 0	R LEASE N			
2. NAME OF OPERATOR	ELD CJ VINSK				ζ.		LMO CF	KEEK UI	NIT	
SUPERIOR OIL	·COMPANY				<u> </u>	9. WELL :	_ ~	0.00 2000 10.00 10.00		
3. ADDRESS OF OPERATOR	CI CODTEZ COL	UD V DU 0133.	1		E J.	#U-		OR WILD	CAT	
P.U. DRAWER	G', CORTEZ, COL	in accordance wit	h any S	State requirements.*)	<u>\$</u> _	C 9	ATER /			
4. LOCATION OF WELL (R. At surface	(1 868' FWL) 1867.96' FWL of	Section 1	7		ىتى ق	11. SEC.,	r., r., M., o Urvey or	R BLK.		
/90.2 FNL, At proposed prod. zon			,		zoie	<u>*</u> 5 €	9	를 타왔다.	DOEE	CI M
Same as surf	ace '	ENW			<u>خ</u>				R25E,	2LM
	AND DIRECTION FROM NEAR		T OFFIC	:	pezg	12. COUNT	JUAN	13. P	TAH	
2.0 miles No	orth of Aneth, L	tan	16. NO	O. OF ACRES IN LEASE	7. NO.	OF ACRES AS	<u> .:</u>	9 3 Z 2 % C		
LOCATION TO NEAREST PROPERTY OR LEASE I	r Line, ft.	796'	10.	2187	10 ,1	HIS WELL	2 40	בנינונג נינינוג מוו		
(Also to nearest drlg 18. DISTANCE FROM PROF	g. unit line, if any)	730	19. PI	ROPOSED DEPTH		RY OR CABL	E TOOLS	E-4 5		
TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,	1000'		5530 Chime	lb v		ary 👸	Frag.		
21. ELEVATIONS (Show wh				HOCK B.	Ca ag		tember	4 35 44		
	graded Ground Le				<u> </u>	E 3 H	ECHIDO E S S	G 65. 3m		
23.	I	PROPOSED CASI	NG ANI	D CEMENTING PROGRA	M 0 =		5 E.E.	Ture State		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F		SETTING DEPTH	7 % Dodd	<u> </u>	TITY OF CEL			
17-1/2"	New 13-3/8"	54.5# H∸ 24# K−		100' 1850'		imix to Diski	Sur Lac	Cere : ă v ≟	<u>o</u>	
12-1/4" 7-7/8"	New 8-5/8" New 5-1/2"	24# K-		5530'	250		E SE	<u> </u>	iten.	
•				l		F 75	to of the other states of	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	277	
l. Drill 17-1/2	2" hole to 100'	and set 10	0' o1	f new 13-3/8" 54	1.5#/ft	t_H_40	ST&C_c	asing.	Ceme	nt
to surface v	with Redimix.		0501	-£ 0 E/0II 6	ें हें हूं भारता	5 5 E	ညီး ညီးဦး T&C င်ဆ	cina	Cemen	t
2. Drill 12-1/4	l" hole to 1850' with 1300 sx Cla	and set I	85U'	of new 8-5/8" 2	.4#/ I.U - 파 현	F E E E E E E E E E E E E E E E E E E	ומע כמי	2 [119]	Cemen	C
to surface v 3. Drill 7-7/8'	' hole to base (of Desert C	reek	with lignosulfo	onate: r	mud. ๊	TO A	100 E		
1. Log well wit	th GR/CNL/FDC.	Completé i	n Isr	may and/or Deser	t Cro	CH POSP	d on 1	og eva	luatio	n.
Stimulate as		•		्रिश् 	55	5月3	夏 目			
1000ME	n nv 4ME 00	ARION		ريًا	May TE	1501		• 4.1 • 1.2 • 1.2	****	
	D BY THE DIV			\mathcal{U}_{-}	MAD	27 500	1년 전 1년 전 1년 전			
OF OIL, G	AS, AND MININ	G			TINAIX	(E 100	in the second			
DATE:	114/8/				D. 5.	1018 1018 1016 1016	ire Juce Office			
DV: Ü	B feinho				DIANG	SIDE DE	10 0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			
٠١٠ ا				,	JIL, GE	o≅o āviivii	VEG E			
IN ABOVE SPACE DESCRIB	E PROPOSED PROGRAM: If	proposal is to dee	pen or	plug back, give data on pronounced on property on subsurface locations are	resent pro nd measur	ductive zone ed and true	e and prop vertical de	osed new pths. Gi	producti ve ve blowout	:
preventer program, if an		any, give pertine				<u> </u>	5 N. A	<u> </u>		•
24.	.,11	_						20 03		
SIGNED	yw. Haver	TI	TLE	Production Geole	ogist	DA	TE 3-	20-81		
(This space for Fed	oral or State office use)					y 5 8 8	£ 3 °.			
. •				ADDDOUAT DAME	. D		<u> </u>			
PERMIT NO.				APPROVAL DATE	3.2	- 32 B	:: X:	5 F 2 T		
APPROVED BY		T	TLE		Ei .		TE	<u> </u>		-
	VAL TE ANY						***			



SUPERIOR OIL

March 20, 1981



OIL, GAS & MINING

Mr. Mike Minder Geological Engineer Division of Oil, Gas & Mining 1588 West North Temple Salt Lake City, Utah 84116

> Re: MCU #0-21 - Infill Development 796.2' FNL, 1867.96' FWL Section 17, T41S, R25E San Juan County, Utah

Dear Mr. Minder:

Enclosed is Superior Oil's Application for Permit to Drill for the above referenced well. This well is staked on a 40 acre spacing to recover oil bypassed in the original flood pattern. This well is part of the overall ${\rm CO}_2$ enhanced recovery program at McElmo Creek.

Your cooperation in this matter is appreciated.

APPROVED BY THE DIVISION OF OIL, GAS, AND MINING DATE:

Very truly yours,

SUPERIOR OIL COMPANY

Charles L. Hill

Area Production Superintendent

HWH/1h

SUPERIOR OIL

March 20, 1981

Mr. Mike Minder Geological Engineer Division of Oil, Gas & Mining 1588 West North Temple Salt Lake City, Utah 84116

> Re: MCU #0-21 - Infill Development 796.2' FNL, 1867.96' FWL Section 17, T41S, R25E San Juan County, Utah

Dear Mr. Minder:

Superior Oil Company controls all oil and gas mineral rights within a 660' radius of the referenced well. Superior Oil is designated as operator of McElmo Creek Unit in San Juan County, Utah.

Very truly yours,

SUPERIOR OIL COMPANY

Charles L. Hill

Area Production Superintendent

HWH/1h

M

SUPERIOR OIL

January 13, 1981



Mr. James F. Sims U. S. Geological Survey P. O. Box 959 Farmington, New Mexico 87401

DIVISION OF OIL, GAS & MINING

Dear Mr. Sims:

Superior Oil plans to drill MCU #0-21, an infill development well in Section 17, T41S, R25E, San Juan County, Utah. The surface location of this well, subject to local topography, is 700' FNL and 2200' FWL of Section 17.

We are aware of the fifteen day waiting period prior to actual staking. Thank you for your cooperation.

Sincerely,

SUPERIOR OIL

Henry Haven

Sterry Hav


Production Geologist

HH/1h


cc: State of Utah

THE SUPERIOR OIL CO.

OPERATOR
Well No. MCU 0-21



McElmo Creek Unit NE/SW SECTION 17, T.41S. - R.25 E.



The state of the s

SUPERIOR OIL

March 20, 1981

Mr. Jim Sims United States Geological Survey P. O. Box 959 Farmington, New Mexico 87401

> Re: MCU #0-21 - Infill Development 796.2' FNL, 1867.96' FWL Section 17, T41S, R25E San Juan County, Utah

Dear Mr. Sims:

The "Surface Use Development Plan" for the proposed McElmo Creek Unit Well #0-21 is as follows:

- 1. The existing roads and the location of the off road exits are shown on the attached road and pipeline plat.
- 2. The 550' of new access road that will be necessary is shown on the attached plat. No major cuts or fills will be required. The existing road will require improvements to provide a 20' wide travel surface.
- 3. The location and status of wells in the vicinity are shown on the attached road and pipeline plat.
- 4. The location of any production facilities, flow lines and lateral roads in the vicinity of the proposed well are shown on the attached plat. The 2" flow line, from the proposed well will run 3400' northwest to an existing tank battery, the area of the tank battery being approximately 100' X 300' where the oil, gas and water will be separated. If the new production facilities are required, a detailed building plan will be submitted for approval.
- 5. Water for drilling operations will be obtained from the San Juan River.
- Materials necessary for the construction and drilling pad will be obtained from the location. No access roads for the purpose of hauling materials will be necessary.

SUPERIOR ONL

- 7. Waste materials will be collected in earth pits 6-8' deep with steep sides. The perimeter of these pits will be completely enclosed with small mesh wire. When drilling operations are complete these earth pits will be backfilled and leveled to the contour of the original landscape. Small portable trailer houses for the company and contract drilling personnel may be on the location. A sufficient number of OSHA approved chemical toilets will be provided and maintained.
- The location and position of drilling equipment is shown on the attached plat. The mud pits will be fenced on three sides during drilling and on four sides after completion of drilling operations. Included on this plat is a cross section diagram showing cuts and fills necessary for the construction of the drilling pad. The drilling pad will be located approximately at ground level. Materials at the location will be used for elevation of the pad.
- Surface land is owned by the Navajo Indian Tribe and is used primarily for grazing. Vegetation consists of sparse grass and sagebrush. There are no Indian habitations or artifacts in the immediate vicinity of the proposed drillsite, access road, flow line, construction and material site or road used in transportation of material.

Very truly yours,

SUPERIOR OIL COMPANY

Henry W. Haven

Production Geologist

I hereby certify that I, or persons under my direct supervision, have inspected the proposed area; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by SUPERIOR OIL and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

3-24-81 Date

Charles L. Hill

Area Production Superintendent

HWH/1h

SUPPLEMENT TO FORM 9-331-C

WELL: MCU #0-21

ELEVATION: 4572.4'

SURFACE FORMATION WHERE DRILLING IS TO TAKE PLACE: Dakota

ESTIMATED FORMATION TOPS: (Measured from ground level at 4572.4')

Chinle 1302'
DeChelly 2330'
Ismay 5203'
Lower Ismay 5289'
Desert Creek 5342'
Chimney Rock 5510'
TD 5530'

WATER BEARING FORMATION: Water is expected to be encountered intermittently from

400' to 1350'.

HYDROCARBON BEARING FORMATION: Oil and gas are expected to be encountered intermittently

from 5289' - 5510'.

MUD PROGRAM: Surface to 100' - fresh water with gel.

100' to 3200' - fresh water.

3200' to 5530' - lignosulfonate or similar mud system. Water

loss controlled to 15 cc or less and weighted

with Barite as necessary.

CASING PROGRAM: Conductor - 13-3/8" 54.5#/ft H-40 ST&C new casing set to 100'.

Surface - 8-5/8" 24#/ft K-55 ST&C new casing set to 1850'.

Production - 5-1/2" 15.5#/ft K-55 ST&C new casing set to 5530'.

CEMENT PROGRAM: Conductor - cement to surface with Redimix.

Surface - cement to surface with 1300 sx Class 'B'.

Production - cement with 250 sx Class 'B'.

LOGGING PROGRAM: GR/CNL/FDC - 5530' to 3530'.

DRILL STEM TESTS:

None

PRESSURE CONTROLS:


Blowout preventer equipment will be 10" Series 600 with blind rams and drill pipe rams hydraulically and manually controlled. The blind rams will be tested on each trip and the pipe rams will be tested daily. The schematic of the


pressure control equipment can be seen on the attached diagram.


The mud system will be monitored by visual inspection.


ANTICIPATED STARTING DATE: September 20, 1981 for 28 days.

HWH/1h










The Drilling Pad will be graded and compacted, and composed of native materials.

PROPOSED WELL SITE MCU 0-21 Original Elev. 4572.40



Original Contour


Reference Point

Graded Proposal

THE SUPERIOR OIL CO.

CORTEL CASPER DISTRICT
ENGINEERING DEPARTMENT
RIG LAYOUT & DRILL
PAD CROSS SECTION
MCELMO CREEK UNIT
Well No. 0-21

BY JEG DATE 6/26/79
SCALE 1"=80' REVISED



** FILE NOTATIONS **

DATE:	larch 31, 1-	981			
OPERATOR:	Superi	er) Oil (lom pany		
WELL NO:_	W/21 /1 . 1	0-21			
Location:	Sec. <u>17</u>	_т. <u>4/S</u>	_ R. <u>25E</u> Count	:y: <u>San Ji</u>	'ICM
File Prepa	ared: [[]	/	Entered on N.I.I): [V]	
Card Inde	xed:		Completion Sheet	: [4]	
		API Number_	43-037- 30	662	
CHECKED BY	<u>Y:</u>				
Petro	oleum Engineer	•			
	- 12				
Direc	ctor: OK	The desired the second			
Admir	nistrative Aid	e: <u>In MC</u>	y/ok on bnd	eys.for ou	<u>lwe</u> ll
APPROVAL L	LETTER:				
Bond	Required: /	7	Survey Plat R	lequired:	r
	r No		_ 0.K. Rule C-3		
Rule	C-3(c), Topog withi	raphic Except n a 660' radii	ion - company owns us of proposed site	or controls acr	eage
Lease	e Designation	and!	Plotted on Ma		
		Approval Le	tter written	7	
Hot I	line /	P.I. /	7		

April 14, 1981

Superior Oil Company P. O. Drawer 'G' Cortez, Colorado 81321

Re: Well No. McElmo Creek Unit #0-21 Sec. 17, T. 41S, R. 25E, NE NW San Juan County, Utah

Insofar as this office is concerned, approval to drill the above referred to pel well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer Office: 533-5771 Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-037-30662.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

Cleon B. Feight Director

CBF/ko

cc: USGS; Carl Berrick

Phil McGrath

UNITED STATES

DEPARTMENT OF THE INTERIOR	14-20-603-253
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME NAVAJO
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir, Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME
1 all goo	8. FARM OR LEASE NAME MCELMO CREEK UNIT
well well other	9. WELL NO. #0-21
2. NAME OF OPERATOR SUPERIOR OIL COMPANY	10. FIELD OR WILDCAT NAME GREATER ANETH
P.O. DRAWER 'G', CORTEZ, COLO. 81321	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA Sec. 17, T41S, R25E, SLM
AT SURFACE: 796' FNL, 1868' FWL Sec. 17	12. COUNTY OR PARISH 13. STATE SAN JUAN UTAH
AT TOTAL DEPTH: SAME SAME 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	14. API NO. 4303730662
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 4572' UNGRADED G.L.
TEST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent.	irectionally drilled, give subsurface locations and
1. Spudded 7:00 PM, 7-9-81: 13 3/8", 48#, H-4	0, ST&C. Conductor csg. @ 80'.
2. 7-11-81: Drilled 12-¼" hole to 1316'. Ran w/ D.L. float shoe and collar to 600 sx 65/35 poz. plus 6% gel, 10 12.8#, tailed in w/ 200 sx. class press. 400# @ 5 BPM. Displaced w/ 1800#. Held ok. Circ. good cmt, t Cemented from top w/ 250 sx class ok.Cutoff 8-5/8 & welded up to 13 Shaffer L.W.S. BOP. Tested BOP to	1316'. Cemented w/ B.J. Hughes, #/sk. gilsonite, 4% lo dense, 'B', plus 2% CaCl. Mix & pump clear wtr. max. press. on plug o surface. Killed wtr. flow. 'B'. plus 3% CaCl, 15.6#. Held -3/8. NU to 8-5/8" 10" x 5,000#
Subsurface Safety Valve: Manu. and Type	Set @ Ft.

ORIG + 5 - USGS, State - 2, Navajo Tribe - 1, Reg. Group, Central Files - H, W. C.

_____ TITLE ___

18. I hereby certify that the foregoing is true and correct

(This space for Federal or State office use)

Production Geologiste July 27, 81

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable State law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

w/ fresh wtr. w/ 1800#. Held ok. Had good returns thru-out job while mixing Ran 138 jts. 5-1/2" to 5555', ran GR-FDC-CNL, SP-DIL from T.D. to surface. to 5555'. Cemented w/ B.J. Ann als Marks. 5-1/2" csg. 15.5#, J-55, ST&C w/ D.L. float shoe and collar to 5555'. Cemented w/ B.J. Ann als Marks. '. Cemented w/ B.J. 800 gals. Mud flush ahead of 300 sxs. Class 'B' .75% D31. Slurry wt 15.6#. Max. P.P. 1150# @ 6 BPM rate. Bump plug and pumping. cmt. w/ 7-24-81:

Ran cement bond log. Top cement @ 4705' PBTD 5484' Perf L. Ismay w/ l shot/ ft. from 5296-5300', Desert Creek 5341-5392' and 5406'-5426'.

14-20-603-253
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

UNTED ST	ATE	S
DEPARTMENT OF T	ΉE	INTERIOR
GEOLOGICAL	SUR	VEY

	NAVAJO
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil	McELMO CREEK UNIT
well well other	9. WELL NO.
2. NAME OF OPERATOR	#0-21
SUPERIOR OIL COMPANY	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	GREATER ANETH
P.O. DRAWER 'G', CORTEZ, COLO. 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
below.)	Sec. 17, T41S, R25E, SLM 12. COUNTY OR PARISH 13. STATE
AT SURFACE: 796' FNL, 1868' FWL Sec. 17	1 I
AT TOP PROD. INTERVAL: SAME	SAN JUAN UTAH
AT TOTAL DEPTH: SAME	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	4303730662
REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	15. ELEVATIONS (SHOW DF, KDB, AND WD) 4572' UNGRADED G.L.
TEST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner 7-28-81: Ran GR-CCL-CBL-VDL from 5484 to 4705	irectionally drilled, give subsurface locations and to this work.)* '. Top of cement at 4705'.
Perfed lower Ismay, Desert Creek I & 1	II from 5296' - 5426' (24 shots).
7-29-81: Acidized w/ 6000 gals. 28% HCL.	
	RECEIVED
•	AUGI 7 (30)
	DIVISION OF
Subsurface Safety Valve: Manu. and Type	OIL, GAS & MINING @ ———— Ft
18. I hereby certify that the foregoing is true and correct	
/ Wella Milhim - Patrolaum Eng	DATE8-7-81
T. GREG/MERRION	
(This space for Federal or State of	
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	
r uccs state 2 Navajo Tribe - 1 Reg Grou	n. Central Files - H. W. C

Form 9-338										_	,
(Rev. 5-68)		UNITT	STAT	ΓES	SUBM	IT IN	DUPLICA (See o		Form a Budget	pproved. Burcau No. 42-R355.	š
**	DEPAR	TMEN' ~~	F THI	EINT	reriof	₹	struct		5. LEASE DESIGNAT	ION AND BERIAL NO	5 .
		GEOLOGIC	AL SU	RVEY	7 !		1		14- 20-	-603-253	_ •
WELL CO	MPLETION	OR RECO	MPI ETI	ON R	EPORT	AN	D LOC	3 *	6. IF INDIAN, ALLO NAVAJO	TTEE OR TRIBE NAM	E
1. TYPE OF WEI	.L: UIL	IT GAB I							7. UNIT ACREEMENT	r NAME	-
b. TYPE OF COM	WE	LL WELL		RY LJ	Other	· ·	<u> </u>		,, ,,,,		
NEW X	WORK DEE	PLUG BACK	DIFF REST	vr. 🗆	Other	<u> </u>	<u> </u>		No CIMO	REEK UNIT	-
2. NAME OF OPERA	ron				. ** 1					REEK UIIII	_
	IOR OIL CO	MPANY					<u> </u>		9. WELL NO. #0-21		
8. ADDRESS OF OPE		,					!		10. FIELD AND POO	<u> </u>	-
P.O. 4. LOCATION OF WE	DRAWER "G"	, CORIE!,	CO 813	321 with ans	State reguli	remen	: ts)*		GREATER !		
At surface 7	96' FNL, 1	868' FWL,	Sec. 17	7	•		•			OR BLOCK AND SURVE	Ŧ
At ton need in	terval reported be	low Same	٨	1ENU	J		!		OR AREA	TAIC DOEF	CI M
At top prod. in	tervar reported be	sow Same	,	,	-				Sec. 1/, 1	741S, R25E,	5LM
At total depth	Same	- 1					!		12. COUNTY OR	1 13. STATE	_
				вит но. 137-30	662		188020		SAN JUAN	UTAH	
15. DATE SPUDDED	I 16 DATE TO F	REACHED 17. DAT				· · ·		P DKR I		ELEV. CASINGHEAD	-
7-8-81	7-23-81		8-2-81		10		4572			4572 ³ (10)	
20. TOTAL DEPTH, MD	4 TVD 21. PLU	G, BACK T.D., MD &	TVD 22	. IF MULT	TIPLE COMPL.	· 5	23. INTE	RVALS LED BY	ROTARY TOOLS	CABLE TOOLS	-
5555 '	ļ	5484'			i	! <u>!</u>		<u>→ </u>	0-55553	1 2 2 -	_
24. PRODUCING INTE	EVAL(S), OF THIS	Ismay) 54	P, BOTTOM,	NAME (M	D AND TVD)	ا م	771		2	SUBVEY MADE	
5296'-530	2' (Desert		00 -542	20 (D	esert C	i eer	11)		English Control	NO	
26, TSPE ELECTRIC	`					·	<u> </u>		1 27. w	AS WELL CORED	-
GR-CNL-FE	C, CYBERLO	OK, SP-DI-	SFL _~ /GF	R-VDL-	CBL-CCL		i			NO :	
29.		CAS	ING RECO	RD (Rep	ort all string	s set i	n well)		4-10 to 84 E		
CASING SIZE	WEIGHT, LB.,	FT. DEPTH S	ET (MD)	но	E SIZE		CEM	ENTING	RECORD	AMOUNT PULLED	
13-3/8"	H-40, 48	<u># 70'</u>	·				nented	to Su		None	
8-5/8"	K-55, 24				···	<u> </u>	į II	050	<u>ii</u>	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. .
5-1/2"	4.15. 15	<u>.5# 5555'</u>			1 · · · · · · · · · · · · · · · · · · ·		:	250 s	SXS.		-
29.	<u> </u>	LINER RECORI) .	-	· · · · · · · · · · · · · · · · · · ·	1.	30.		TUBING RECORD	a sa va va	-
SIZE	TOP (MD)	BOTTOM (MD)	SACES CE	MENT*	SCREEN (M	(D)	SIZE		DEPTH SET (MD)	PACKER SET (MD)	_
							2-7/8	3"	5426	- 1	_
									₹ 	ी-ा भ⊍्यु	_
31. PERFORATION RE	CORD (Interval, s	ize and number)			32.	AC	ID, SHOT,		URE, CEMENT SQU		-
	i', 5300' (DEPTH IN				OUNT APP KIND OF		_
	45', 66					<u>5426</u>	<u> </u>	6000			-
84', 85',	86', 89',	91', 92'	(9.61-	-ı sno	F.1	<u>ः -</u> । <u>६</u> , इ	1		<u>- 83 82 72 7.</u> - 1, 82 2		_
5406', 08	3', 10', 16	, 42, 24	, 20	•	I	<u> ~~</u>			The second secon		-

53411 431	45' 66'	69' . 73' .	75' 77'	5296' -5426!	[6000	gal 28%	HCL.	
84' 85'	86', 89', 9	1', 92' (Ď	.C I-1 sho)		F345 =		
	', 10', 16',			. 글 () 학		1, 1, 1, 2		
(D.C. II -		LL , L. ,						
3.*	1 3/10/27		PROD	UCTION				
8-9-81		NATIONAL 3		mping—size and type	of pump)	. sh	L STATUS (Producing or out-in)	
8-9-81	HOURS TESTED	CHOKE SIZE	PROD'N. FOR	231 G/	-2333	NIM	GAS-OIL BATIO	
140 psig	casing pressure 430 psig	CALCULATED 24-HOUR RATE	Same	GAS—MCT.		-BBL.	41	<u> </u>
4. DISPOSITION OF G.	AS (Sold, used for fue	el, vented, etc.)			AUG		BERRY	

DIVISION OF

Signed T. Green derrich that the foregoing and attached information is complete and correct as determined to GAS-SAMINING TO SIGNED T. Green derrich that the foregoing and attached information is complete and correct as determined to GAS-SAMINING TO BE SIGNED TITLE Petroleum Engineer DATE

(See Instructions and Spaces for Additional Data on Reverse Side)

NSTRUCTIONS

or both, pursuant to applicable Federal and/or State laws and correct well completion report and log on all types of lands and leases to either a Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and infectionals surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be issued on this form, see item 35.

Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

1		DEPTH	71.7	ε_ []]	TAT BHT	5		1115 1115 1000		PARE:	:	(, ·	671-233
		TRUB VART. DRFTH	:03.,	14		ini.					9. V. A. J.		
GEOLOGIC MARKERS	TOP	MEAS. DEPTH	2001	5701	1220 × 2440 ×	3205 1	4360° 5181°	5280 t	5330 E	21/033 2	La sessori Till Silvenia Seniori California	en e trace Liste e German	
			Entrada Ss	Navajo Ss Wingate Ss	Chinle Dechelly	Cedar Mesa	Hermosa Ismay	ີ ບ	_ >		Torres	godenie († 1901) Bourtes († 1901) Bourfat († 1	
38.		ļ.,	<u> </u>	<u> </u>	<u>ک</u> ک	<u>ප</u> :	¥ ří	<u>പ്പ്</u>	<u> </u>	• • •	r c	UME 31.	-
B, INCLUI	ar.		830123 *1442		.12	era 	a e.r				51 <u></u>	GTS FJA.	
BM TBST		÷.	ena kir Historia Historia	,	.		.01	romas (d.f.	, II				1.
DRILL-ST.	NTB, ETC.						-				1, 0, 1		0481688828n-1
LND ALE UBES, AN	DESCRIPTION, CONTENTS, ETC.			Q		: · · · ·						TVE.,	ł
RVALS;	SCRIPTION		==		· · · · · · · · · · · · · · · · · · ·		-						S. GOVERNMENT PRINTING OFFICE
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THERROF; CORED INTERVALS; AND ALL DRILL-STEM TESTE, INCLUDING DEFTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSUERS, AND RECOVERIES	DE		0010, 0	Dolo. S	3 · 5 %	371 1	dur 	1.124 - 1 1.124 - 1	I. F.	- 45 q	T	1, 8	U.S. GOVERBUE
FREEEOF;			LS, QQ	LS.	nrie			X	****	. / 3.74)	440 3: T	3107 50 40.	-
NTENTS OL OPEN				` 		• .		^ .		_{WY}	-		
SITY AND CO	BOTTOM		5300' 5418'	5492	510 (5)	· 	V (100					7. F .B.Y	
IS OF PORO! USHION US		 		<u> </u>	4 2x32	:	ē · / ē ·	5%. 79		au i jeda			-
ANT ZONE	TOP		5295°55	5435		1 -	COV.	S J J J J J J J J J J J J J J J J J J J				** 0 E 73	4.0
L IMPORT			e e X							(4.)		LATE S	
SHOW AL	FORMATION	-	Lower Ismay Desert Creek		7 7 3.	ati.	_) 	4 <u>.</u>		. 		
SHOW ALL IMPORTANT ZONES OF DEPTH INTERVAL TESTED, CUSHI			Low Y-Dest			· En	. <u></u>	 51.53 %	. N. S.			ii daku	-

UTAH

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING 1588 West North Temple Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number Mc ELMO CRE	EK #0-21	
Operator SUPERIOR OIL COMPANY	Address P.O. DRAWER	'G' CORTEZ, COLO 81321
Contractor BAYLESS DRILLING COM	PANY_Address_216 S. HILL	FARMINGTON, N. MEX 87401
Location NE 4 NW 4 Sec. 17	T: 41S R. 25E	County SAN JUAN CO., U
Water Sands '		
<u>Depth</u>	<u>Volume</u>	Quality
From To Flow	Rate or Head	Fresh or Salty
1. 900 - 1010' 4	"stream	Fresh
2		
3		
4		
5(Continue of	reverse side if necessary	
(303)	. ever se side in necessary	,
Formation Tops Chinle @ 1230	•	
Remarks_		. :

- NOTE: (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
 - (b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.



OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON

Chairman

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING 1588 West North Temple Salt Lake City, Utah 84116 JOHN L. BELL
C. RAY JUVELIN
THADIS W. BOX
MAXILIAN A. FARBMAN
EDWARD T. BECK
E. STEELE McINTYRE

(801) 533-5771

October 7, 1981

Superior Oil Company P.O. Drawer "G" Cortez, CO 81321 U. S. (MELLOWEAL SURVEY, FARMINGTON, N. M.

Re: Well No. McElmo Creek Unit #0-21 Sec. 17, T. 41S, R. 25E San Juan County, Utah

Gentlemen:

SCOTT M. MATHESON Governor

GORDON E. HARMSTON

Executive Director,

NATURAL RESOURCES

CLEON B. FEIGHT

Director

According to our records, a "Well Completion Report" filed with this office 3-7-81, from above referred to well, indicates the following electric logs were run: GR-CNL-FDC, CYBERLOOK, SP-DI-SFL, GR-VDL-CBL-CCL. As of today's date, this office has not received these logs: CYBERLOOK, GR-VDL-CBL-CCL.

Rule C-5, General Rules and Regulations and Rules of Practice and Procedure, requires that a well log shall be filed with the Commission together with a copy of the electric and radioactivity logs.

Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

TERRI REID CLERK-TYPIST

RECEIVED

9 1981

OCT

EL PASO NATURAL GAS COMPANY POST OFFICE BOX 990 FARMINGTON, NEW MEXICO



NOTICE	OE	CAC	CONNECTION	
NOTICE		LiAS	CONNECTION	

DATE	August	30.	1984	
	110000	~~,		

THIS IS TO NOTIFY THE OIL CONSERVATION COMMISSION THAT CONNECTION FOR PURCHASE OF

GAS FROM Superio	or Oil Company		it Satellite #17
	Operator	Well	Name
78-143-01	40690-01		17-41-25
Meter Code	Site Code	Well Unit	S-T-R
Aneth		El Paso Natural	Gas Company
•	Pool	Name o	f Purchaser
WAS MADE ONJul	y 26, 1984	FIRST DELIVERY A	ugust 28, 1984
WAS MADE ON	Date		Date
AOF			
CHOKE			
	•	El Paso	Natural Gas Company
	·	Purchaser	1.
		Dan	y Dary
		Representativ	of J
		Title	

cc: Operator Midland, Houston, Cortez
Oil Conservation Commission - 2 Utah
MYSTAKEN - El Paso Production Control
Contract Administration
File

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217

January 14, 1985

Utah Divison of Oil, Gas and Mining 355 W. North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

RECEIVED

FEB 0 :

Attention: Ms. Dianne Nielson, Director

DIVISION OF UIL GAS & MINING

RE: NOTICES TO SUPERIOR OIL COMPANY

Dear Ms. Nielson:

As a result of the merger which became effective on September 28, 1984, The Superior Oil Companies ("Superior") is now a wholly owned subsidiary of Mobil Corporation.

Effective January 1, 1955 MODEL OF COLOR AND Expension Dension Pension superior is secompanies as service contractor, for the purpose of performing comprehensive business management and related administrative services. To this end, Superior has entered into a Services Agreement with Mobil and has issued Powers of Attorney to certain Mobil employees, whereby Mobil has agreed to perform all of Superior's obligations and duties, and shall be entitled to enforce all of Superior's rights and privileges, including but not limited to all applicable Operating Agreements and leases (see attached). This shall include, without limitation, the making and receiving of payments, the giving and receiving of notices and other information, and the performance of all other related functions. Therefore, after December 31, 1984, notices to Superior or relative to its interests, assets or obligations should designate Mobil and be mailed to:

PERMITS ONLY

Mobil Oil Corporation P.O. Box 5444

RON

Denver, Colorado 80217-5444 Attention: R. D. Baker (303) 298-2577

Enclosed is a list of all Superior wells. This list includes the well names. locations, API numbers and producing zone (if applicable).

We appreciate your consideration and cooperation. If you have any questions, please direct them to the undersigned.

Environmental & Regulatory Manager - West

Enclosure

			<u> </u>
	Form 3160-5 November 1983) Sormerly 9-331) DEPARTMENT OF THE INTERIOR	SUBMIT IN TR CATE® (Other instructions on re-	Form approved. Budget Bureau No. 1004-0135 Expires August 31, 1985 5. LEASE DESIGNATION AND SERIAL NO.
	BUREAU OF LAND MANAGEMENT	verse mue)	14-20-603-263
•	SUNDRY NOTICES AND REPORTS ON		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	(Do not use this form for proposals to drill or to deepen or plug back Use "APPLICATION FOR PERMIT—" for such propos	to a different reservoir.	NAVAJO
	OIL GAS CATHODIC PROTECTION		7. UNIT AGREEMENT NAME MCELMO CREEK
	SUPERIOR OIL COMPANY, through its Agent,	MOBIL OIL CORP.	8. FARM OR LEASE NAME MCELMO CREEK
	P. O. DRAWER 'G', CORTEZ, COLORADO 81321	•	9. WBLL NO. 0-21
,	LOCATION OF WELL (Report location clearly and in accordance with any State See also space 17 below.) At surface	RECEIVED	10. FIELD AND POOL, OR WILDCAT GREATER ANETH
	796' FNL, 1868' FWL	QET 0 4 1985	Sec. 17, T41S, R25E, SLM
	14. PERMIT NO. 15. ELEVATIONS (Show whether DF, BT, 43-037-30662 4572 GL	DIVISION OF OIL	SAN JUAN UTAH
:	Check Appropriate Box To Indicate Natur	GAS & MINING re of Notice, Report, or C	other Data
	NOTICE OF INTENTION TO:	, , ,	ENT ESPORT OF:
	TEST WATER SHUT-OFF PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
	FRACTURE TREAT MULTIPLE COMPLETE SHOOT OR ACIDIZE ABANDON*	FRACTURE TREATMENT	ALTERING CASING
	REPAIR WELL CHANGE PLANS	SHOOTING OR ACIDIZING (Other)	ABANDONMENT*
	(Other) Construct Cathodic Protection System	Completion or Recomple	of multiple completion on Well etion Report and Log form.)
	17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent del proposed work. If well is directionally drilled, give subsurface locations nent to this work.) *	ails, and give pertinent dates, and measured and true vertica	including estimated date of starting any l depths for all markers and zones perti-
gr el	maximize effective corrosion control of metall ound, Mobil Oil Corporation, Agent for Superior ectrified cathodic protection system consisting an above ground rectifier which has a lead con	Oil Company, propo of a subsurface gr	ses to construct an aphite anode bed connected
ar lo	e construction will consist of a trench, 140' lo ea of the well location. All construction will cation. Existing electrical power to the well well well well well well well we	be confined to exi	sting disturbed area of well
	e construction area has previously been cleared A 81-104 dated March 25, 1981.	archaeologically b	y National Park Service per
	•		
	18. I hereby certife that the foregoing is true and correct SIGNED TITLEST. Reg.	ulatory Coordinator	9/27/85
	C. J. Benally (This space for Federal or State office use)		

*See Instructions on Reverse Side

DATE _

TITLE .

APPROVED BY _______CONDITIONS OF APPROVAL, IF ANY:

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

CNE/rd CNE8661 R. D. Baker
Environmental Regulatory Manager

WESTERN REGULATORY WELL COMPLIANCE DATA FILE (PAGE 1 OF 2) FOR THE CORTEX SUPERVISOR AREA FOR THE GREATER ANETH FIELD 65/13/86

PROPERTY							j T		OF BOTH A	77.TF	
PROPERTY NAME	WELL NAME	YTMUGS	STATE	SEC TWNS	HP RNG	WELL	A T	API HUMBER	FEDERAL LEASE NUMBER	STATE NUMBER	UNIT NUMBER
MC ELHO CREEK	0-11	MAUL MA2	UT	HE SW 32-	-40S-25E	PROD	02	43-037-30282	14-20-603-372		96-004190
	0-12	MAUL MAZ	UT	SE SM 32-	-40S-25E	INJ	0F	43-037-16371	14-20-603-372		96-004190
	0-13	MAUL MAZ	UT	NE NW 05-	41S-25E	PROD	62	43-037-30280	14-20-603-572		76-004190
	0-14	MAUL MAZ	UT	SE NW 05-	41S-25E	LNI	GP	43-637-16365	14-20-603-372		96-004190
	U-15	NAUL NAZ	UT	NE SW 05-	41S-25E	PROD	OP	43-037-30275	14-20-603-372		96-094199
	0-16	MAUL MAZ	UT	SE SW 05-	41S-25E	INJ	OF	43-037-15969	14-20-603-372		96-004190
	8-17	SAN JUAN	UT	NE NU 8-	41S-25E	PROD	0P	43-037-30289	14-20-603-263		76-904199
	0-18	MAUL MAZ	UT	ZE MM 68-	·41S-25E	LWI	0F	43-037-05585	14-20-663-263		96-004196
	0-19	MAUL MAZ	UT	NE SW 98-	·41S-25E	PROD	QP	43-037-30270	14-20-603-263		96-004190
	0-20	SAN JUAN	UT	SE SW 08-	-41S-25E	PROD	OP	43-037-15518	14-20-603-263		96-004190
	0-21	SAN JUAN	UT	NE NW 17-	41S-25E	PROD	OP	43-037-30662	14-20-603-263		96-004190
	0-22A	MAUL MAZ	UT	SE NU 17-	-41S-25E	PROD	OP	43-037-15970	14-20-603-263		96-004190
	0-23	MAUL MAZ	UT.	HE SW 17-	-415-25E	PROD	OP	43-037-31123	14-20-603-263		96-004190
	0-24	HAUL HAZ	UT	SE SW 17-	-41S-25E	WIW	OF'	43-037-05407	14-20-603-263		96-004190
	P-07	MAUL MAZ	UT	NW SE 29-	-40S-25E	LMI	OP	43-037-05828	I-149-IND-8839-A		96-004190
	P-08	HAUL HAZ	UT	SW SE 29-	-40S-25E	PROD	GP'	43-037-30355	I-149-IND-8839-A		96-004190
	P-09	SAN JUAN	UT	₩ HE 32-	-40S~25E	LMI	02	43-037-16367	14-20-603-372		96-004190
	P-10	SAN JUAN	UT	SW NE 32-	-40S-25E	PROD	0P	43-037-30284	14-20-603-372		96-004190
	P-11	MAUL MAZ	UT	NW SE 32-	-40S-25E	INJ	OP	43-037-15971	14-20-603-372		96-004190
	P-12	MAUL MAZ	UT	S₩ 3E 32-	-40S-25E	PROD	OP	43-037-30278	-	HL-10376	96-004190
	P-13	SAN JUAN	UT	NW NE 05-	-41S-25E	LNJ	OP	43-037-16368	14-20-603-372		96-004190
	P-14	SAN JUAN	UT	SW NE 05-	-41S-25E	PROD	GF	43-637-30276	14-20-603-372		96-004190
	P-15	SAN JUAN	ÜΤ	MM ZE 02-	-41S-25E	LNI	06	43-037-16340	14-20-603-372		96-004190
	P-16	MAUL MAZ	UT	SW SE 05-	-41S-25E	PROD	0F	43-037-30287	14-26-663-372		96-004190
	2-17	SAN JUAN	UΥ	HW NE 00	3-415-25E	IHJ	OP	43-037-15976	14-20-603-263		96-004190
	P-18	SAN JUAN	UT	SM ME 08-	-41S-25E	PROD	OP	43-037-30267	14-20-60 3-263		96-004190
	P-19	SAN JUAN	UT	MM 2E 08-	-41S-25E	LHI	OF'	43-037-05555	14-20-60 3-2 63		96-004190
	P-20	SAN JUAN	UT	ZM ZE 08-	-41S-25E	PROD	OP	43-037-30505	14-20-603-263		96-004190
	2-21	SAN JUAN	UT	NW -NE 17-	-41S-25E	INJ	ЭP	43-037-05487	14-20-603-263		94 -004190
	P-22	HAUL MAZ	UT	SW NE 17-	-41S-25E	PROD	GF'	43-037-30506	14-20-603-263		96-004190

Form 3160-5 (June 1990)

Approved by Conditions of approval, if any:

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135 BUREAU OF LAND MANAGEMENT Expires: March 31, 1993


5. Lease Designation and Serial No.

Date _

SUNDRY NOTICES	<u>14-20-603-263</u>						
bo not use this form for proposals to d	6. If Indian, Allottee or Tribe Name						
THE PROPERTY OF THE PROPERTY O	Navajo						
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation					
I. Type of Well Oil Well Well Other	UL 2 6 1393	McElmo Creek					
2. Name of Operator	DRICIONIA	8. Well Name and No.					
	cing U.S. Inc. O''. GAS & MINING	MCU 0-21					
3. Address and Telephone No. P.O. Box 633, Midland, Tx.	79702 (915) 688-2114	43-037-30662					
4. Location of Well (Footage, Sec., T., R., M., or Survey D		10. Field and Pool, or Exploratory Area					
Surface: NESW 17-41s-25	escription)	Greater Aneth					
BHL: Same		San Juan, Ut.					
12. CHECK APPROPRIATE BOY							
TYPE OF CUITAINE BOX	s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA					
TYPE OF SUBMISSION	TYPE OF ACTION						
Notice of Intent	Abandonment '	Change of Plans					
Subsequent Report	Recompletion	New Construction					
Subsequent Report	Plugging Back	Non-Routine Fracturing					
Final Abandonment Notice	Casing Repair	Water Shut-Off					
Total	Altering Casing Other Flare Stack	Conversion to Injection					
		Dispose Water (Note: Report results of multiple completion on Wel					
13. Describe Proposed or Completed Operations (Clearly state al	Completion or Recompletion Report and Log form.)						
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*							
Will install permanent ~40' h	igh flare stack for temporary use v						
undergoes maintanance Stee	to will be search for temporary use v	vnenever plant stack					
will be enchanged in	k will be set on ≈3' x 3' concrete	pre-cast slab. Stack					
will be anchored with minimu	m 3 guy lines. Approximately 160'	long pipeline will be					
iaid along road from Sec. 17	Satellite to stack. Stack will be mini	mum 100' downwind					
of O-21 wellhead. All surfac	e disturbance will be on previously	disturbed soil (:					
of O-21 wellhead. All surface disturbance will be on previously disturbed soil (i.e., satellite, road, and wellpad).							
-,, and wonpudy.							
All archaeology avoided Area manifestals to the second second							
All archaeology avoided. Area previously inspected (500' radius from Sec. 17							
Satellite) and clearance approved by BIA Area Director on 7-13-89. See attached							
clearance letter and map.							
	cc: BIA,	BLM(6), Dee, UDOGM (2)					
4. I hereby certify that the foregoing is true and correct							

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title



CULTURAL RESOURCES COMPLIANCE FORM DOI BUREAU OF INDIAN AFFAIRS NAVAJO AREA OFFICE P.O. BOX M WINDOW ROCK, ARIZONA 86515

ROUTING: UT X	COPIES TO S.H.P.O NAVAJO NATION HISTORIC PRESERVATION OPPICE	NAO PROJECT NO.NTM-88-021 OTHER PROJECT NO.: NNAD-88-012		
Shiprock	AGENCY			
X	REAL PROPERTY MGMT/330	ENVIRONMENTAL DATA:		
		Aenth vicinity		

PROJECT TITLE: An Archaeological Survey of 16 Existing Oil Field Facilities near Aneth, San Juan County, Utah

LAND STATUS: Tribal Trust
PORM PREPARED BY: James Copeland
PROJECT ARCHEOLOGISTS: K. Langenfeld, M. Yazzie, G. Pino, D.
Dykeman

SPONSOR: Mr. Clyde Benally, Mobil Oil Corporation, P.O. Drawer G, Cortez, Colorado 81321

DATE INSPECTED: 2/22/88 - 3/29/88 DATE OF REPORT: 7/13/88

TOTAL ACREAGE INSPECTED: 332.14 acres

METHOD OF INVESTIGATION: Class III circular transects spaced ca. 15 m apart. Areas inspected are 500 ft radius on "satellite" and "battery areas" and 1000 ft radius on "injection plant" area. No buffer areas.

PROJECT LOCATION (LEGAL AND UTM): Scattered locations in T40-41S,R24-25E, San Juan County, Ut. See report for details.

PROJECT DESCRIPTION: Repair and upgrading of petroleum associated gathering and distribution facilities. Significant disturbance anticipated.

NO. OF CULTURAL RESOURCES FOUND: 33 sites, 39 isolated occurrences, 44 in-use features.

LIST OF ELIGIBLE PROPERTIES: The following sites appear to be potentially eligible for the National Register: UT-C-42-50,-60(prehistoric only),-115 to -119,-125; UT-C-54-20; UT-C-55-38,-61,-115,-117,-118,-119(prehistoric only),-120,-121.

PEDERAL ANTIQUITIES PERMIT NO.: None

NAVAJO TRIBAL ANTIQUITIES PERMIT NO.: None

RECENED

MOV 1 7 1999

ide para di Alla di Al

EFPECT/CONDITIONS OF COMPLIANCE: With the following conditions, the proposed undertaking should have no effect on potentially eligible properties: 1) no construction within the boundaries of potentially eligible properties; 2) no vehicular traffic within the boundaries of potentially eligible properties except on existing roads; 3) each potentially eligible property within 100 ft of construction must be marked or fenced for avoidance during the life of the project and said marking/fencing must be placed by or under the direction of an authorized archeologist; 4) any earth disturbing actions within 50 ft of any potentially eligible property must be monitored by an archeologist and a brief report prepared and submitted to this office.

In the event that a potentially eligible property cannot be avoided, prepare and submit for approval a testing plan for evaluating the significance of the property prior to any construction.

. .

Values have been identified that may have religious importance to Native Americans pursuant to the American Indian Religious Freedom Act (AIRFA). Site UT-C-143 should be included with those identified in the report. None of those values appear threatened. In the event of potential distruction or alteration, conduct additional ethnographic interviews to evaluate significance and possible mitigating measures if warranted. In the event of a discovery, cease operations and notify the NAO Area Archeologist at (602) 871-5151, extension 5128.

Notification to Proceed Approved: Conditions	Yes X No James Rancier Yes X No James Rancier
	Acting Area Archeologist
	Yes No ASSISTANT Area Director 7/13/55
Concurred:	Yes No For: Date
	s.R.P.O. Officer 35/89

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Rou	Well File Rng (API No.)	(Return Date) (To - Initials)	XXX Other OPER NM CHG
1.	Date of Phone Call: 8-3-95	Time:	
2.	DOGM Employee (name) L. Co Talked to: Name R. J. FIRTH of (Company/Organization)	_ (Initiated Call 🗱) - Pl	none No. ()
3.	Topic of Conversation: MEPI		
4.	Highlights of Conversation: OPERATOR NAME IS BEING CHANGED IN NORTH AMERICA INC) TO MOBIL EXPINATE THIS TIME TO ALLEVIATE CONFUSION *SUPERIOR OIL COMPANY MERGED IN THE SUPERIOR OIL COMP	FROM M E P N A (MOBIL EX LOR & PROD. THE NAME CE N, BOTH IN HOUSE AND AMO	PLORATION AND PRODUCING IANGE IS BEING DONE AT ONGST THE GENERAL PUBLIC.

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

ì

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

Page 11 of 22

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:			UTAH ACCOUNT NUMBER: N7370			
C/O MOBIL OIL CORP M E P N A		report period (month/year): 6 / 95				
PO DRAWER G CORTEZ CO 81321			AMENDED REPORT (Highlight Changes)			
/ell Name	Producing	Well	Days		Production Volumes	
PI Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
MCELMO CR R-12	20.10		Ope,	OIL(BBL)	GAS(WCF)	WAIER(BDL)
4303730651 05980 40S 25E 33 MCELMO CREEK Q-19	DSCR	****				
4303730652 05980 415 25E 8	IS-DC				Ē	
MCELMO CR V-14 4303730653 05980 415 25E 3	DSCR					
MCELMO CR T-16 .				,		
4303730654 05980 41S 25E 4 MCELMO CR N-22	DSCR	-				
4303730661 05980 41S 25E 17	DSCR					
MCELMO CR 0-21 4303730662 05980 41S 25E 17	DSCR					
ELMO CR R-18						
05980 41S 25E 9 مرح مرد	DSCR	F* FU			·	
4303730779 05980 41S 25E 9 MCELMO CR S-19	DSCR					
4303730780 05980 41S 25E 9	DSCR					
MCELMO CR T-18 4303730781 05980 418 25E 9	DSCD					
4303730781 05980 41S 25E 9 MCELMO CR U-17	DSCR	-				
4303730782 05980 41S 25E 9 MCELMO CREEK UNIT G-24	DSCR	·				
4303731008 05980 41S 24E 13	DSCR					
MCELMO CREEK UNIT J-16A 4303731011 05980 418 25E 6	DSCR					
7,50,7,7,011 0,5,500 413 251 01	DOCK					
			TOTALS			
MMENTS:					·	
·						
						
c. Sy certify that this report is true and complete to	the best of my	knowledge.		Da	te:	
ne and Signature:				Т	elephone Number:	
		-			-	
2/93)						

OPERA	FOR CHANGE HORKSHEET				1-1-PL /
	The development of the district	e e e e e e e e e e e e e e e e e e e			2-LWP 8-SJV
	all documentation received by the division each listed item when completed. Write N				3=BEX 9-FILE
Initial	each fisted frem when completed. Write N	AVA II ICEM IS NOC 6	appiicable.		4-VLC
□ Chai	nge of Operator (well sold)	□ Designatio	on of Agent		5-RJF
	ignation of Operator	XXX Operator N		n l v	6- LWP
~~,,,,,,,,,,					
The op	perator of the well(s) listed belo	w has changed (EFFECTIVE DA	TE: 8-2-95)
TO (ne	w operator) MOBIL EXPLOR & PROD	FROM (f	ormer operate	or) MEPNA	
	(address) C/O MOBIL OIL CORP			SS) C/O MOBIL	
	PO DRAWER G			PO DRAWER	
	CORTEZ CO 81321			CORTEZ CO	
	phone (303) 564-5212				3 >564-5212
	account no. <u>N7370</u>	<u> </u>		account n	o. <u>N7370</u>
Hell(s	(attach additional page if needed):				
Name:	** SEE ATTACHED ** API: <u>037-3</u>	0662 Entity:_	Sec_	Twp Rng	Lease Type:
Name:	API:	Entity:	Sec		Lease Type:
Name:	API:	Entity:	Sec	_TwpRng	Lease Type:
Name:	API:	Entity:_	Sec		Lease Type:
Name:	API:	Entity:_	Sec		Lease Type:
	API:				Lease Type:
Name:	API:	Entity:	Sec	_TwpRng	Lease Type:
1	OR CHANGE DOCUMENTATION (Rule R615-8-10) Sundry or oth operator (Attach to this form).	er <u>legal</u> docum	nentation ha	s been rece	ived from <u>former</u>
<u>N/A</u> 2.	(Rule R615-8-10) Sundry or other (Attach to this form).	<u>legal</u> document	ation has be	en received 1	from <u>new</u> operator
<i>№</i> 3.	The Department of Commerce has be operating any wells in Utah. Is yes, show company file number:	s company regis	f the new op tered with	erator above the state? (y	is not currently /es/no> If
<u>N/A</u> 4.	(For Indian and Federal Hells (attach Telephone Documentation comments section of this form. changes should take place prior t	Form to this Management rev	report). Tiew of Fede	Make note of ral and Indi	f BLM status in an well operator
	Changes have been entered in the listed above. $(8-3-95)$				BM) for each well
\mathbb{W}_{6} .	Cardex file has been updated for	each well liste	d above. 8.3	1.95	
W 7.	Well file labels have been update	ed for each well	listed abov	e. 9-18-95	
	Changes have been included on the for distribution to State Lands a	ınd the Tax Comm	ission. <i>(83</i>	-95]	
Luco.	A folder has been set up for the placed there for reference during	Operator Chang routing and pr	e file, and occessing of	a copy of th	is page has been documents.

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY REVIEW
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. We entity changes made? (yes/ho) (If entity assignments were changed, attach copies Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures entity changes.
BOND VERIFICATION (Fee wells only) * No Fee Lesse Wells at this time!
1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by lett dated 19
LEASE INTEREST OHNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has be notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases .
FILMING
1. All attachments to this form have been microfilmed. Date: October 6 1995
FILING
1. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operat Change file.
COMMENTS
950803 UIC F5/Not necessary!

WE71/34-35

ExxonMobil Production Comp

U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlette St. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

RECEIVED

JUN 29 2001

DIVISION OF OIL, GAS AND MINING

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed,	effective:	06-01-2001				
FROM: (Old Operator):		TO: (New Op	perator):			
MOBIL EXPLORATION & PRODUCTION		EXXONMOBIL OIL CORPORATION			1	
Address: P O BOX DRAWER "G"]	Address: US V	VEST P O I	3OX 4358		
CORTEZ, CO 81321	4	HOUSTON, T		58		
Phone: 1-(970)-564-5212	4	Phone: 1-(713)				
Account No. N7370		Account No.				
CA No.	•	Unit:	MCELMO	O CREEK		
WELL(S)						
		API NO	ENTITY		WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
MCELMO CR S-18			5980	INDIAN	ow	P
MCELMO CR U-18		43-037-15982		INDIAN	ow	P
MCELMO CR R-20		43-037-30462		INDIAN	OW	TA
MCELMO CR R-18		43-037-30778		INDIAN	OW	P
MCELMO CR S-17		43-037-30779		INDIAN	ow	P
MCELMO CR S-19		43-037-30780		INDIAN	OW	P
MCELMO CR T-18		43-037-30781		INDIAN	ow	P
MCELMO CR U-17		43-037-30782		INDIAN	ow	S
MCELMO CR S-22		43-037-15980		INDIAN	OW	P
MCELMO CR Q-22		43-037-15523		INDIAN	ow	S
MCELMO CR O-22A		43-037-15970		INDIAN	OW	P
MCELMO CR Q-21		43-037-30463		INDIAN	OW	P
MCELMO CR P-22		43-037-30506		INDIAN	ow	P
MCELMO CREEK N-22		43-037-30661		INDIAN	ow	P
MCELMO CR O-21		43-037-30662		INDIAN	ow	P
MCELMO CREEK UNIT O-23		43-037-31123		INDIAN	OW	P
MCELMO CREEK UNIT Q-23		43-037-31124		INDIAN	OW	P
MCELMO CR J-23		43-037-15500		INDIAN	ow	P
MCELMO CR M-22		43-037-15512		INDIAN	ow	P
MCELMO CR M-24	18-41S-25E	43-037-15513	5980	INDIAN	low	P
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001						
2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 06/29/2001						
3. The new company has been checked through the Department	nent of Comn	nerce, Division	of Corpora	tions Datab	ase on:	04/09/200
4. Is the new operator registered in the State of Utah:	YES	_Business Num	ber:	579865-014	<u>13</u>	
5. If NO , the operator was contacted contacted on:	N/A	_				

6.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: BIA-06/01/2001
8.	Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
9.	Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A
D	ATA ENTRY:
1. 2.	Changes entered in the Oil and Gas Database on: 04/25/2002 Changes have been entered on the Monthly Operator Change Spread Sheet on: 04/25/2002
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
S 7	State well(s) covered by Bond Number: N/A
F 1	EDERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number: N/A
IN 1.	Indian well(s) covered by Bond Number: 80273197
	EE WELL(S) BOND VERIFICATION: (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number N/A
2.	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
	EASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
C	OMMENTS:
_	
_	



United States Department of the Interior

ANALYS SALVANATALIA NATURATION OF THE STATE OF THE SALVANATALIA

P.O. Box 1060 Gallup, New Mexico 87305-1060

AUG 3 0 2001

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

P and process of the second se
ADM 1 43 //C
drood na ma vian
SOLID NIN TEAM
MAZI TURMORIBA
O&GINSHED YEAM
ALL TEAM LEADERS
LAND RESOURCES
ENVIRONMENT
FILES

ExxonMobil Production Company


U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

EXONMOBIL
Production



Change of Name ~
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Isasi

Charlotte U. Harper

Bureau of Indian Affairs
Navajo Region Office
Attn: RRES - Mineral and Mining Section
P.O. Box 1060
Gallup, New Mexico 87305-1060

Gentlemen	•
-----------	---

The current listing o Corporation), of	f officers and director of ExxonMobil 011 Cor	poration (Name of ollows:
Vice President K.T. Secretary F.L.	. Reid Addres	SS 5959 Las Colinas Blvd. Irving, TX 75039 SS 800 Bell Street Houston, TX 77002 SS 5959 Las Colinas Blvd. Irving, TX 75039 SS 5959 Las Colinas Blvd. Irving, TX 75039
Name P.A. Hanson Name T.P. Townsend Name B.A. Maher	DIRECTORS Address Address Address Address Address Singerely, Alex Correa	1959 Las Colinas Blvd. Irving, TX 75039 1959 Las Colinas Blvd. Irving, TX 75039 1959 Las Colinas Blvd. Irving, TX 75039
and in the cu	AGENT AND ATT	vering business for the State of Utah (Agent), Phone: 1 (800)927-9800

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be.

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

Assistant Secretary

COUNTY OF DALLAS STATE OF TEXAS

UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

fanice M. Phillip Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20)
- 14-20-603-5450
- 21) 14-20-603-5451

6/1/01

CHUBB GROUP OF INSURANCE COMPANIES

in the Vision one Bruth, butte 1800, Plauston Texas, 77027-3301 From the Unit 1927-4600 r Feasing to (713) 297-4750 NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97
wherein
Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Qil Corporation

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact



POWER **OF** ATTORNEY

Federal Insurance Company Vigilant Insurance Company Pacific Indemnity Company

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than ball bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or atteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May 2001.

Kenneth C. Wendel, Assistant Secretar

STATE OF NEW JERSEY } ss. County of Somerset

On this 10th day of May, 2003 , before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, and companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly swom, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and imove the companies seals afford to the foregoing Power of Attorney are such companies each and were thereto afford by authority of the By-Laws of said Companies; and that he signeture of said Companies; and that he is acquainted with Frank E. Robertson, and Innove him to be Vice Positions of said Companies; and that the signeture of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson subscribed by authority of said former in the property of the prope

Notary Public State of New Jersey

No. 2231647

Hazanapsies

Commission Expires Qct 28 2004 ON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facelinite to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature theraof, and any such power of attorney or certificate bearing such faceimile signature or faceimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly iconeed and authorized to transact surely business in all 50 of the United States of America and the District of Columbia and are authorized by the U.S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U.S. Virgin Islands, and Federal is Sceneed in American Samos, Guarn, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001







IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

5184334741

06/01 '01 08:46 NO.410 03/05

06/01 '01 09:06 NO.135 02/04

ÇSC

F010601000 187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

Ο̈́F

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Lew, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby cartify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the smendments to the Certificate of Incorporation effected. by this Certificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
 - "1st The comporate name of said Company shall be,
 ExxonMobil Oil Corporation".
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to wote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this <u>22nd</u> Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS
COUNTY OF DALLAS


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 224 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



csc csc

5184334741

-06/01 '01 09:01 NO.411 02/02 -010601 01 09:08 NO.133 03/02

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

IOU

STATE OF NEW YORK
DEPARTMENT OF STATE

Filed by: EXXONMOBIL CORPORATION

CORPORATION FILED JUN 0 1 2001


· (r mano)

5959 Les Colines Blvd. (Mailing address)

Irving, TX 75039-2298

(City, State and Zip code)

78MPJ



010601000/95

,TEL=5184334741

06/01'01 08:19

-;

: >

State of New York | State | State |

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING				
1. DJJ	100			
2. CDW				

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006	i i		
FROM: (Old Operator):	TO: (New Operator):				
N1855-ExxonMobil Oil Corporation	N2700-Resolute Natura	l Resources Company			
PO Box 4358	1675 Broadway	, Suite 1950			
Houston, TX 77210-4358	Denver, CO 802	202			
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-460				
CA No.	Unit:	MC ELMO	-500		
OPERATOR CHANGES DOCUMENTATION					
Enter date after each listed item is completed	T001/T0	4/21/2007			
1. (R649-8-10) Sundry or legal documentation was received from the					
2. (R649-8-10) Sundry or legal documentation was received from the		4/24/2006			
3. The new company was checked on the Department of Commerce			6/7/2006		
4. Is the new operator registered in the State of Utah: YES	Business Number:	5733505-0143			
5. If NO , the operator was contacted contacted on:					
6a. (R649-9-2)Waste Management Plan has been received on:	requested				
6b. Inspections of LA PA state/fee well sites complete on:	n/a				
6c. Reports current for Production/Disposition & Sundries on:	ok				
7. Federal and Indian Lease Wells: The BLM and or the E	BIA has approved the	e merger, name change	e,		
or operator change for all wells listed on Federal or Indian leases o			_not yet		
8. Federal and Indian Units:					
The BLM or BIA has approved the successor of unit operator for	r wells listed on:	not yet			
9. Federal and Indian Communization Agreements ("	CA"):				
The BLM or BIA has approved the operator for all wells listed w	vithin a CA on:	n/a			
10. Charles and the contract (===)		C Form 5, Transfer of Au	thority to		
Inject, for the enhanced/secondary recovery unit/project for the wa	ater disposal well(s) liste	d on: 6/12/2006	5		
DATA ENTRY:					
1. Changes entered in the Oil and Gas Database on:	6/22/2006	dian'in 0.0 d			
2. Changes have been entered on the Monthly Operator Change Sp		6/22/2006			
3. Bond information entered in RBDMS on:4. Fee/State wells attached to bond in RBDMS on:	n/a 				
4. Fee/State wells attached to bond in RBDMS on:5. Injection Projects to new operator in RBDMS on:	6/22/2006				
6. Receipt of Acceptance of Drilling Procedures for APD/New on:					
BOND VERIFICATION:					
Federal well(s) covered by Bond Number:	n/a				
2. Indian well(s) covered by Bond Number:	PA002769				
3. (R649-3-1) The NEW operator of any fee well(s) listed covered by	y Bond Number	n/a			
a. The FORMER operator has requested a release of liability from the	eir bond on: n/a				
The Division sent response by letter on:	n/a				
LEASE INTEREST OWNER NOTIFICATION:					
4. (R649-2-10) The FORMER operator of the fee wells has been cont		letter from the Division			
of their responsibility to notify all interest owners of this change on	: <u>n/a</u>				
COMMENTS:					
O MINICIATIO.					

STATE OF UTAH

Earlene Russell, Engineering Technician

11.

 \square

NA

SIG

(This :

(5/200

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING					FORM 9		
					LEASE DESIGNATION AND SERIAL NUMBER: See attached list		
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Tribe			
Do not use this form for proposals to drill new wells, si	ignificantly deepen existing wells below cum a APPLICATION FOR PERMIT TO DRILL fo	ant bottom-hole depl om for such proposa	h, reenter plugged wells, or to s.	7. UNIT or CA AGREEMENT NAME: McElmo Creek Unit			
1. TYPE OF WELL OIL WELL		Jnit Agreeme		8. WELL NAME and NUMBER: See attached list			
2. NAME OF OPERATOR:	npany N2700			9. API NUMBER: Attached			
Resolute Natural Resources Con 3. ADDRESS OF OPERATOR;			PHONE NUMBER:	10. FIEL	D AND POOL, OR WILDCAT:		
1675 Broadway, Suite 1950 CITY Denve	r _{STATE} CO _{ZIP}	80202	(303) 534-4600	Grea	ater Aneth		
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached	list	9" 4"		COUNTY	: San Juan		
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIC	NAK			STATE:	UTAH		
11. CHECK APPROPRI	ATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, OF	OTHER DATA		
TYPE OF SUBMISSION		Т	PE OF ACTION				
NOTICE OF INTENT	CIDIZE	DEEPEN		=	REPERFORATE CURRENT FORMATION		
` ' '	TER CASING ASING REPAIR	FRACTURE NEW CONS			SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON		
	HANGE TO PREVIOUS PLANS	OPERATOR			TUBING REPAIR		
	HANGE TUBING	PLUG AND		=	VENT OR FLARE		
¬ IX	HANGE WELL NAME	PLUG BACK			WATER DISPOSAL		
(Submit Original Form Only)	HANGE WELL STATUS		ON (START/RESUME)		WATER SHUT-OFF		
Date of work completion:	OMMINGLE PRODUCING FORMATIONS	RECLAMAT	ON OF WELL SITE		OTHER:		
	ONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION				
Effective June 1, 2006 Exxon Mo Resolute Natural Resources Cor A list of affected producing and w UIC Form 5, Transfer of Authority As of the effective date, bond cor	obil Oil Corporation resigns npany is designated as suc vater source wells is attach y to Inject.	as operator ccessor oper ned. A separa	of the McElmo Cree ator of the McElmo (ate of affected injecti	k Unit. Creek l on well	Jnit. Is is being submitted with		
NAME (PLEASE PRINT) Dwight E Mallory		TITL	4/20/2006	dinator			

DIV. OF OIL, GAS & MINING

ME (PLEASE	Dwight E Mallory	TITLE	Regulatory Coordinator
NATURE _	J. t. 2115	DATE	4/20/2006
space for Si	tate use o'Ny)		
	APPROVED 6 122106		RECEIVED
0)	Division of Oil, Gas and Mining (See Instruction	ns on Reverse Side)	APR 2 4 2006

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:				
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock				
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current boltom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: UTU68930A				
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: McElmo Creek				
2. NAME OF OPERATOR: ExxonMobil Oil Corporation N/855	9. API NUMBER: attached				
3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT: Aneth				
P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4358 (281) 654-1936 4. LOCATION OF WELL	Arient				
FOOTAGES AT SURFACE:	COUNTY: San Juan				
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH				
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA				
TYPE OF SUBMISSION TYPE OF ACTION					
✓ NOTICE OF INTENT □ DEEPEN □ DEEPEN	REPERFORATE CURRENT FORMATION				
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL				
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION 6/1/2006 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR				
6/1/2006 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE				
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL				
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF				
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:				
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION					
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, McElmo Creek lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006. Attached please find a listing of producers and water source wells included in the transfer.					
NAME (PLEASE PRINT) Laurie Kilbride TITLE Permitting Super	visor				
SIGNATURE JULIE B. Kubu DATE 4/19/2006					
2002 200 19	DECEMEN				

Division of Oil, Gas and Mining

Earlene Russell, Engineering Technician

APR 2 1 2006

DIV. OF OIL, GAS & MINING

McElmo Creek Unit - Producer Well List

Lease Number	2 11 6 5 3 3 3 1 3 5 1 3 5	API # 430373036000S1 430373035800S1 430373038000S1 430373037600S1 430373038700S1 430373038900S1 430373038400S1 430373038600S1 430373038600S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1	Producing Producing Producing Producing Producing Producing Producing Producing Producing TA Producing SI Producing	Lease # 14-200-6036145 14-200-6036146 14-200-6036146 14-200-6036147 14-200-6036147 14-200-6036508 14-200-6036508 14-200-6036510 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	36 36 2 2	40S 40S 40S 41S 41S 41S 41S 41S 41S 41S 41S 41S 40S 40S 40S	24E 24E 24E 24E 24E 24E 24E 24E 25E	SWSE NESE SWSW NESW SWSE NESE NESE NESW SWSE NESE NE	NSFoot 0643FSL 1975FSL 0585FSL 1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL 0100FSL	2123FEL 0318FEL 0628FWL 1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL 0650FEL
MCU F-12 MCU G-11 MCU G-11 MCU G-11 MCU G-11 MCU D-16 MCU E-15 MCU C-13 MCU D-14 MCU E-13 MCU D-14 MCU E-13 MCU J-08 MCU R-10 MCU R-10 MCU R-11 MCU R-16 MCU R-16 MCU R-16 MCU R-16 MCU R-16 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-10 MCU T-10 MCU T-12 MCU T-14 MCU T-16 MCU T-14 MCU T-16 MCU J-18 MCU J-23 MCU J-23 MCU J-24 MCU K-21 MCU K-21 MCU K-23 MCU L-18 MCU L-20	2 11 6 5 3 3 3 1 3 5 1 3 5	430373036000\$1 430373035800\$1 430373035800\$1 430373038000\$1 430373038700\$1 430373038900\$1 430373038400\$1 430373038600\$1 430373038600\$1 430373038800\$1 430373045400\$1 430373020200\$1 430373027200\$1 430373045200\$1 430373045200\$1 430373045200\$1 430373045300\$1 430373045300\$1 430373045300\$1 430373045300\$1 430373045300\$1	Producing Producing Producing Producing Producing Producing Producing TA Producing SI Producing	14-200-6036145 14-200-6036146 14-200-6036146 14-200-6036147 14-200-6036147 14-200-6036508 14-200-6036508 14-200-6036510 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	36 36 36 36 2 2 2 2 2 2 2 2 2 2 2 33 33 4	40S 40S 40S 41S 41S 41S 41S 41S 41S 41S 41S 41S 40S 40S 40S	24E 24E 24E 24E 24E 24E 24E 24E 25E	SWSE NESE SWSW NESW SWSE NESE NESW NENW SWNE NENW SWNE NENE SESE	0643FSL 1975FSL 0585FSL 1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	2123FEL 0318FEL 0628FWL 1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU F-12 MCU G-11 MCU G-11 MCU G-11 MCU D-16 MCU C-15 MCU C-13 MCU D-14 MCU D-14 MCU E-13 MCU R-10 MCU R-10 MCU R-11 MCU R-10 MCU R-12 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU T-16 MCU U-09 MCU U-09 MCU U-13 MCU U-15 MCU U-14 MCU J-20 MCU J-23 MCU J-23 MCU K-21 MCU K-23 MCU L-18 MCU L-20	2 11 6 5 5 3 4 3 3 9 1 1 3 5	430373035800S1 430373038000S1 430373037600S1 430373038700S1 430373038900S1 430373038400S1 430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373020200S1 430373045200S1 430373045200S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1	Producing Producing Producing Producing Producing Producing TA Producing SI Producing	14-200-6036146 14-200-6036146 14-200-6036147 14-200-6036147 14-200-6036508 14-200-6036508 14-200-6036510 14-20-6036510 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	36 36 36 2 2 2 2 2 2 2 2 2 2 2 33 33 4	40S 41S 41S 41S 41S 41S 41S 41S 41S 40S 40S 40S	24E 24E 24E 24E 24E 24E 24E 24E 25E	NESE SWSW NESW SWSE NESE NESW NENW SWNE NENE SESE	1975FSL 0585FSL 1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL 0100FSL	0628FWL 1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU F-12 MCU G-11 MCU D-16 MCU E-15 MCU C-13 MCU D-14 MCU E-13 MCU D-14 MCU E-13 MCU B-10 MCU R-10 MCU R-10 MCU R-11 MCU R-10 MCU R-14 MCU R-16 MCU R-16 MCU R-16 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-14 MCU J-20 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-23 MCU L-18 MCU L-20	1 6 5 5 3 4 8 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	430373038000\$1 430373037600\$1 430373038700\$1 430373038900\$1 430373038400\$1 430373037900\$1 430373038600\$1 430373038600\$1 430373045400\$1 430373045400\$1 430373020200\$1 430373045200\$1 430373045200\$1 430373045200\$1 430373045200\$1 430373045300\$1 430373045300\$1 430373045300\$1	Producing Producing Producing Producing Producing TA Producing SI Producing	14-200-6036146 14-200-6036147 14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	36 36 2 2 2 2 2 2 2 2 2 2 8 33 33 4	40S 41S 41S 41S 41S 41S 41S 41S 40S 40S 40S	24E 24E 24E 24E 24E 24E 24E 24E 25E	SWSW NESW SWSE NESE NESW NENW SWNE NENE SESE	0585FSL 1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	0628FWL 1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU G-11 MCU D-16 MCU E-15 MCU C-15 MCU C-13 MCU D-14 MCU E-13 MCU B-13 MCU R-10 MCU R-10 MCU R-11 MCU R-12 MCU R-14 MCU R-16 MCU R-16 MCU R-16 MCU S-11 MCU S-11 MCU S-13 MCU S-15 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU T-16 MCU T-18 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-23 MCU K-23 MCU L-20	1 6 5 5 3 4 8 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	430373037600S1 430373038700S1 430373038900S1 430373038400S1 430373037900S1 430373038600S1 430373038600S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045300S1 430373045300S1 430373063200S1 430373063200S1 430373046000S1	Producing Producing Producing Producing TA Producing SI Producing	14-200-6036146 14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-60320484 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 2 2 2 2 2 2 33 33 4	41S 41S 41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 24E 24E 25E	NESW SWSE NESE NESW NENW SWNE NENE SESE	1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL 0100FSL	1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU G-11 MCU D-16 MCU E-15 MCU C-15 MCU C-13 MCU D-14 MCU E-13 MCU B-13 MCU R-10 MCU R-10 MCU R-11 MCU R-12 MCU R-14 MCU R-16 MCU R-16 MCU R-16 MCU S-11 MCU S-11 MCU S-13 MCU S-15 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU T-16 MCU T-18 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-23 MCU K-23 MCU L-20	1 6 5 5 3 4 8 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	430373037600S1 430373038700S1 430373038900S1 430373038400S1 430373037900S1 430373038600S1 430373038600S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045300S1 430373045300S1 430373063200S1 430373063200S1 430373046000S1	Producing Producing Producing Producing TA Producing SI Producing	14-200-6036146 14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-60320484 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 2 2 2 2 2 2 33 33 4	41S 41S 41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 24E 24E 25E	NESW SWSE NESE NESW NENW SWNE NENE SESE	1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU D-16 MCU C-15 MCU C-13 MCU D-14 MCU E-13 MCU D-14 MCU E-13 MCU U-08 MCU R-10 MCU R-10 MCU R-11 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-11 MCU S-13 MCU T-10 MCU T-12 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-13 MCU U-15 MCU U-18 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-23 MCU L-18 MCU L-18	6 5 5 3 4 8 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	430373038700\$1 430373038900\$1 430373038400\$1 430373037900\$1 430373038600\$1 430373038800\$1 430373045400\$1 430373065100\$1 430373020200\$1 430373045200\$1 430373045200\$1 430373045200\$1 430373045200\$1 430373045300\$1 430373045300\$1 430373045300\$1	Producing Producing Producing TA Producing SI Producing SI Producing	14-200-6036147 14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-60320484 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 2 2 2 2 2 33 33 4	41S 41S 41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 24E 24E 25E	SWSE NESE NESW NENW SWNE NENE SESE	0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU C-15 MCU D-14 MCU E-13 MCU E-13 MCU E-13 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-18 MCU K-21 MCU K-23 MCU L-18 MCU L-20	5 5 3 4 3 3 3 3 6 1 3 5	430373038900S1 430373038400S1 430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045200S1 430373063200S1 430373063200S1 430373046000S1	Producing TA Producing SI Producing SI Producing	14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032048/4 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 2 2 2 33 33 4	41S 41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 25E	NESE NESW NENW SWNE NENE SESE	1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	3206FEL 3076FEL 1856FEL 0296FEL
MCU C-15 MCU D-14 MCU E-13 MCU E-13 MCU E-13 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-18 MCU K-21 MCU K-23 MCU L-18 MCU L-20	5 5 3 4 3 3 3 3 6 1 3 5	430373038900S1 430373038400S1 430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045200S1 430373063200S1 430373063200S1 430373046000S1	Producing TA Producing SI Producing SI Producing	14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032048/4 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 2 2 2 33 33 4	41S 41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 25E	NESE NESW NENW SWNE NENE SESE	1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	3206FEL 3076FEL 1856FEL 0296FEL
MCU C-15 MCU D-14 MCU E-13 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-11 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU T-14 MCU T-14 MCU T-16 MCU T-18 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-23 MCU K-23 MCU L-18 MCU L-20	5 3 4 3 3 3 0 2 4 5 1 3 5	430373038400S1 430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045300S1 430373063200S1 430373063200S1 430373046000S1	Producing SI Producing SI Producing	14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032048/ 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 28 33 33 4	41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 25E	NESW NENW SWNE NENE SESE	1765FSL 0881FNL 1884FNL 0789FNL	3206FEL 3076FEL 1856FEL 0296FEL 0650FEL
MCU D-14 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-09 MCU U-13 MCU U-13 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-18 MCU K-21 MCU K-23 MCU L-18 MCU L-18	3 4 3 3 3 0 2 4 4 6 1 3 5	430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373112100S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing SI Producing SI Producing Producing Producing Producing Producing Producing Producing Producing	14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 28 33 33 4	41S 41S 41S 40S 40S 40S	24E 24E 24E 25E	NENW SWNE NENE SESE	0881FNL 1884FNL 0789FNL 0100FSL	3076FEL 1856FEL 0296FEL 0650FEL
MCU D-14 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-09 MCU U-13 MCU U-13 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-18 MCU K-21 MCU K-23 MCU L-18 MCU L-18	3 4 3 3 3 0 2 4 4 6 1 3 5	430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373112100S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing SI Producing SI Producing Producing Producing Producing Producing Producing Producing Producing	14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 28 33 33 4	41S 41S 41S 40S 40S 40S	24E 24E 24E 25E	NENW SWNE NENE SESE	0881FNL 1884FNL 0789FNL 0100FSL	3076FEL 1856FEL 0296FEL 0650FEL
MCU D-14 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU U-17 MCU U-18 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	4 3 3 0 2 4 4 6 1 3 5	430373038600\$1 430373038800\$1 430373045400\$1 430373112100\$1 430373065100\$1 430373020200\$1 430373027200\$1 430373045200\$1 430373045200\$1 430373045300\$1 430373063200\$1 430373046000\$1	Producing SI Producing SI Producing Producing Producing Producing Producing Producing Producing Producing	14-20-6036510 14-20-6036510 14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 28 33 33 4	41S 41S 40S 40S 40S	24E 24E 25E	SWNE NENE SESE	1884FNL 0789FNL 0100FSL	1856FEL 0296FEL 0650FEL
MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU J-18 MCU J-22 MCU J-23 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	3 3 0 2 4 5 1 3 5	430373038800S1 430373045400S1 430373112100S1 430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045200S1 430373063200S1 430373046000S1	Producing Producing Producing Producing Producing Producing Producing Producing Producing	14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 28 33 33 4	40S 40S 40S	24E 25E 25E	NENE SESE	0789FNL 0100FSL	0296FEL 0650FEL
MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU J-18 MCU J-22 MCU J-23 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	3 3 0 2 4 5 1 3 5	430373038800S1 430373045400S1 430373112100S1 430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045200S1 430373063200S1 430373046000S1	Producing Producing Producing Producing Producing Producing Producing Producing Producing	14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 28 33 33 4	40S 40S 40S	24E 25E 25E	NENE SESE	0789FNL 0100FSL	0296FEL 0650FEL
MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12A MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU U-17 MCU U-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU L-18 MCU L-20	3 0 2 4 5 1 3 5	430373045400S1 430373112100S1 430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing SI Producing Producing Producing Producing Producing Producing Producing Producing	14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	28 33 33 4	40S 40S 40S	25E 25E	SESE	0100FSL	0650FEL
MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU U-17 MCU U-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20) 2 4 6 1 3	430373112100S1 430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045200S1 430373063200S1 430373046000S1	SI Producing Producing Producing Producing Producing Producing Producing	14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	33 33 4	40S 40S	25E			
MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU U-17 MCU U-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20) 2 4 6 1 3	430373112100S1 430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045200S1 430373063200S1 430373046000S1	SI Producing Producing Producing Producing Producing Producing Producing	14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	33 33 4	40S 40S	25E			
MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-17 MCU J-18 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	2 4 5 1 3	430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing Producing Producing Producing Producing Producing Producing	14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	33 4	40S		SWNW	2326ENII	0633E/MI
MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-17 MCU J-18 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	2 4 5 1 3	430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing Producing Producing Producing Producing Producing Producing	14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	33 4	40S		- T T I T T T	ILULUI INL	IUUSZEVYL
MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12A MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU J-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	1 5 1 3 5	430373020200S1 430373027200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing Producing Producing Producing Producing	14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	4		ZOE	swsw	0692FSL	0339FWL
MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-12A MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU J-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	6 	430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing Producing Producing Producing	14-20-6032057 14-20-6032057	-1	418		SWNW	2030FNL	0560FWL
MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU J-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	3	430373045300S1 430373063200S1 430373046000S1	Producing Producing	14-20-6032057		41S	25E	swsw	0656FSL	0505FWL
MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	5	430373063200S1 430373046000S1	Producing		33			NESW	1928FSL	1731FWL
MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373046000S1		144.20 6022057	4			NENW	0761FNL	1837FWL
MCU T-12 MCU T-12A MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20)		Producing	14-20-6032057	4			NESW	1854FSL	1622FWL
MCU T-12A MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		140007000740004	I - Company	14-20-6032057	33			SWNE	1931FNL	1793FEL
MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373007400S1	Producing	14-20-6032057	33			NWSE	1940FSL	1960FEL
MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373040100S1 430373045900S1	Producing Producing	14-20-6032057 14-20-6032057	33			SWSE SWNE	0590FSL 1922FNL	2007FEL 1903FEL
MCU U-09 MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373065400S1	Producing	14-20-6032057	4			SWSE	0630FSL	2030FEL
MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373112200\$1	Producing	14-20-6032057	33			NENE	1019FNL	0526FEL
MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373045600S1	Producing	14-20-6032057	4			NENE	0700FNL	0700FEL
MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373063300S1	Producing	14-20-6032057	4			NESE	1798FSL	0706FEL
MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373065300S1	SI	14-20-6032057	3	418	25E	SWNW	2091FNL	0322FWL
MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20					20000					
MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373031800S1	Producing	14-20-603263	7			SWNW	1823FNL	0663FWL
MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373030600S1	Producing	14-20-603263	7			SWSW	0819FSL	0577FWL
MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373034100S1 430371550000S1	Producing Producing	14-20-603263 14-20-603263	18 18			SWNW NWSW	1977FNL 1980FSL	0515FWL 0575FWL
MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430371330000S1	Producing	14-20-603263				SWSW	0675FSL	0575FWL
MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373032800S1	Producing	14-20-603263	7			NENW	0763FNL	1898FWL
MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373032700S1	Producing	14-20-603263	7			NESW	1999FSL	1807FWL
MCU L-18 MCU L-20		430373030200S1	Producing	14-20-603263	18			NENW	0738FNL	1735FWL
MCU L-20	3	430373033600S1	Producing	14-20-603263	18	41S	25E	NESW	1833FSL	1823FWL
			Producing	14-20-603263	7			SWNE	1950FNL	1959FEL
IMCU 11-22		430373031300S1	Producing	14-20-603263	7			SWSE	0312FSL	1560FEL
		430373034700S1	Producing	14-20-603263	18			NWSE	2844FSL	2140FEL
MCU L-24 MCU M-17		430373033900S1 430373031400S1	SI	14-20-603263 14-20-603263	18 7			SWSE NENE	1980FNL 0454FNL	1980FEL 1031FEL
MCU M-17 MCU M-19		1	Producing Producing	14-20-603263	7			NESE	2012FSL	0772FEL
MCU M-21	a 1	430373030700S1	Producing	14-20-603263	18			NENE	0919FNL	0463FEL
MCU M-22		43037353535031 430371551200S1	Producing	14-20-603263	18			SENE	1720FNL	0500FEL
MCU M-23	1	430373033800S1	Producing	14-20-603263	18			NESE	1890FSL	4214FWL
MCU M-24	2	430371551300S1	Producing	14-20-603263	18	418	25E	SESE	0500FSL	0820FEL
MCU N-18	1 2 3	430373028600S1	Producing	14-20-603263	8	41S	25E	SWNW	1779FNL	0573FWL
MCU N-20	1 2 3 4	430373026900S1	Producing	14-20-603263	8			SWSW	0620FSL	0634FWL
MCU N-22	1 2 3 4 3	430373066100S1	SI	14-20-603263	17			SWNW	1763FNL	0730FWL
MCU 0-17	1 2 3 4 3 0	14:40:4 / 30つりの0000で4 - '	Producing	14-20-603263	8			NENW	0627FNL	1855FWL
MCU O-19	1 2 3 4 3 0		Producing	14-20-603263	8			NESW	1932FSL	2020FWL
MCU O-20 MCU O-21	1 2 3 4 3 0	430373027000S1	Producing Producing	14-20-603263 14-20-603263	8 17			SESW NENW	0660FSL 0796FNL	1980FWL 1868FWL
MCU 0-21	1 2 3 4 3 0 2 7	430373027000S1 430371551800S1		14-20-603263	17			SENW	1840FNL	1928FWL
MCU 0-22A	1 2 3 4 3 0 1 7 9	430373027000S1	Producing	14-20-603263	_	415			2276FSL	1966FWL

McElmo Creek Unit - Producer Well List

		770			ľ			Locat	ion	
Lease	Number	API#	Status	Lease #	Sec	Τ	R	QTR/QTR	NSFoot	EWFoot
MCU	P-18	430373026700S1	Producing	14-20-603263	8	415	25E	SWNE	1816FNL	1855FEL
MCU	P-22	430373050600S1	Producing	14-20-603263	17			SWNE	2035FNL	2135FEL
MCU	Q-17	430373027100S1	SI	14-20-603263	8	41S		NENE	0714FNL	0286FEL
MCU	Q-18	430371552100S1	SI	14-20-603263	8			SENE	1980FNL	0660FEL
MCU	Q-19	430373065200S1	SI	14-20-603263	8	41S		NESE	1957FSL	0899FEL
MCU	Q-20	430371552200S1	SI	14-20-603263	8			SESE	0650FSL	0740FEL
MCU	Q-21	430373046300S1	Producing	14-20-603263	17	41S		NENE	0730FNL	0780FEL
MCU	Q-23	430373112400S1	SI	14-20-603263	17	41S	25E	NESE	2501FSL	0581FEL
MCU	J-25	430371550100S1	SI	14-20-603264	19	41S	25E	NWNW	0750FNL	0695FWL
MCU	K-25	430373118600S1	Producing	14-20-603264	19	41S		NENW	0440FNL	1780FWL
555555555	1	3888			52				1000	
MCU	R-18	430373077800S1	Producing	14-20-603359	9			SWNW	1808FNL	0513FWL
MCU	S-17	430373077900S1	Producing	14-20-603359	9	418		NENW	700FNL	1899FWL
MCU	S-18	430371597800S1	Producing	14-20-603359	9			SENW	1943FNL	1910FWL
MCU	S-19	430373078000S1	Producing	14-20-603359	9			NESW	3391FNL	2340FWL
MCU	S-22	430371598000S1	Producing	14-20-603359	16			SENW	1980FNL	1980FWL
MCU	T-18	430373078100S1	Producing	14-20-603359	9			SWNE	1774FNL	3499FWL
MCU	U-17	430373078200S1	Producing	14-20-603359	9	415		NENE	0625FNL	4399FWL
MCU	U-18	430371598200S1	Producing	14-20-603359	9	415	25E	SENE	2048FNL	0805FEL
MCU	F-22	430371594700S1	Producing	14-20-603370	13			SWNW	1800FNL	0664FWL
MCU	G-22	430373120400S1	TA	14-20-603370	13	41S		SENW	1910FNL	2051FWL
MCU	G-24	430373100800S1	Producing	14-20-603370	13			SESW	0458FSL	2540FWL
MCU	H-21	430373119200S1	Producing	14-20-603370	13			NWNE	0715FNL	2161FEL
MCU	H-22	430371595000S1	Producing	14-20-603370	13			SWNE	1980FNL	1980FEL
MCU	H-23	430373119300S1	Producing	14-20-603370	13			NWSE	2178FSL	1777FEL
MCU	H-24	430371595100S1	TA	14-20-603370	13			SWSE	1820FSL	0500FEL
MCU	H-26	430371595200S1	Producing	14-20-603370	24			SWNE	2053FNL	2077FEL
MCU	I-21	430371595300S1	SI	14-20-603370	13			NENE	0810FNL	0660FEL
MCU	1-22	430373118700S1	Producing	14-20-603370	13			SENE	1975FNL	0700FEL
MCU	1-24	430373018000S1	Producing	14-20-603370	13	415	24E	SESE	0660FSL	0250FEL
MCU	I-16B	430373041700S1	Producing	14-20-603372	6	41S	25E	NWSW	1442FSL	0040FWL
MCU	J-12	430373034200S1	Producing	14-20-603372	31	40S	25E	SWSW	0631FSL	0495FWL
MCU	J-14	430373032100S1	Producing	14-20-603372	6	41S		SWNW	1822FNL	0543FWL
MCU	J-15B	430373041400S1	Producing	14-20-603372	6	418	25E	NWSW	2679FNL	1299FWL
MCU	J-16A	430373101100S1	Producing	14-20-603372	6	41S	25E	swsw	0601FSL	0524FWL
MCU	K-11	430373035900S1	Producing	14-20-603372	31	40S		NESW	1803FSL	1887FWL
MCU	K-13	430373033700S1	Producing	14-20-603372	6			NENW	0935FNL	2132FWL
MCU	K-15	430373032600S1	Producing	14-20-603372	6			NESW	1920FSL	1950FWL
MCU	L-12	430373004000S1	Producing	14-20-603372	31			SWSE	0100FSL	1700FEL
MCU	L-14	430373032300S1	SI	14-20-603372	6			SWNE	1955FNL	1821FEL
MCU	L-16	430373032400S1	SI	14-20-603372	6	415	25E	SESW	0642FSL	1788FEL
MCU	M-11	430373035400S1	Producing	14-20-603372	31			NESE	2028FSL	0535FEL
MCU	M-12B	430373041600S1	Producing	14-20-603372	31			SESE	1230FSL	0057FEL
MCU	M-13	430373032000S1	Producing	14-20-603372	6			NENE	0897FNL	0402FEL
MCU	M-15	430373031500S1	Producing	14-20-603372	6			NESE	1927FSL	0377FEL
MCU	N-10	430373030400S1	Producing	14-20-603372	32			SWNW	3280FSL	0360FWL
MCU	N-12	430373029100S1	SI	14-20-603372	32			SWSW SWNW	1266FSL 2053FNL	1038FWL 0767FWL
MCU	N-14	430373028100S1	SI	14-20-603372	5			SWSW	0665FSL	0788FWL
MCU	N-16	430373027700S1	SI	14-20-603372	32			NENW	0604FNL	1980FWL
MCU	0-09	430373035600S1	Producing	14-20-603372	_			NESW	2094FSL	1884FWL
MCU	0-11	430373028200S1	Producing	14-20-603372	32 5			NENW	0562FNL	2200FWL
MCU	0-13	430373028000S1	Producing SI	14-20-603372 14-20-603372	5			NESW	2017FSL	2054FWL
MCU	O-15	430373027500S1		14-20-603372	32			SWNE	3328FSL	1890FEL
MCU MCU	P-10 P-14	430373028401S1 430373027600S1	Producing TA	14-20-603372	5			SWNE	1947FNL	1852FEL
MCU	P-14 P-16	430373027600S1	Producing	14-20-603372	5			SWSE	0680FSL	1865FEL
MCU	Q-09	430373028700S1	Producing	14-20-603372	32			NENE	0753FNL	0574FEL
IVICU				14-20-603372	32			NESE	2027FSL	0868FEL
MCH	1()~11	14.3(1.37,31120.3(111.3)	1Promicion	4-ZU-DU.3.37 /	1 .7/			INESE		
MCU MCU	Q-11 Q-13	430373028300S1 430373028800S1	Producing Producing	14-20-603372	5			NENE	0699FNL	0760FEL

McElmo Creek Unit - Producer Well List

	1		ē i	Location						
Lease	Number	API#	Status	Lease #	Sec	Τ	R	QTR/QTR	NSFoot	EWFoot
11011	 	40007000550004	 	14.00.0004000		440	045	OVA/NUA/	00445511	0744534
MCU	F-14	430373025500S1	Producing	14-20-6034032	1	415		SWNW	2041FNL	0741FWL
MCU	F-16	430373038100S1	Producing	14-20-6034032	1	415	_	SWSW	0813FSL	0339FWL
MCU	G-13	430373036300S1	Producing	14-20-6034032	1			NENW	0656FNL	1999FWL
MCU	H-14	430373036200S1	Producing	14-20-6034032	_1_			SWNE	1937FNL	2071FEL
MCU	I-13	430373025700S1	Producing	14-20-6034032	1	41S	24E	NENE	0624FNL	0624FEL
MCU	E-17	430373039000S1	SI	14-20-6034039	11	41S	24F	NENE	0713FNL	0661FEL
MCU	G-17	430373037800S1	Producing	14-20-6034039	12	418		NENW	0649FNL	1904FWL
MCU	H-16	430373036600S1	Producing	14-20-6034039	1			SWSE	0923FSL	1974FEL
MCU	H-17B	430373041500S1	Si	14-20-6034039	1			SESE	0105FSL	1250FEL
MCU	I-15	430373036100S1	Producing	14-20-6034039	1			NESE	1895FSL	0601FEL
MCU	I-17	430373036700S1	Producing	14-20-6034039	12	418	_	NENE	0646FNL	0493FEL
MCO	1-17	43037303070031	Froducing	14-20-0034039	12	413	ZTL	INCINC	00401141	04931 LL
MCU	G-18B	430373039900S1	Producing	14-20-6034495	12	418	24E	NWNE	1332FNL	2605FEL
MCU	H-18	430373036400S1	SI	14-20-6034495	12	418	24E	SWNE	1922FNL	1942FEL
MCU	I-19	430373036500S1	Producing	14-20-6034495	12	418	24E	NESE	2060FSL	0473FEL
		40007000500004		44.00.0005447	44	440	0.45	OVACAUE	20005111	2000551
MCU	D-18	430373025600S1	Producing	14-20-6035447	11	415		SWNE	2380FNL	2000FEL
MCU	E-18	430371570600S1	Producing	14-20-6035447	11	415		SENE	1600FNL	0660FEL
MCU	F-18	430372018400S1	Producing	14-20-6035447	12	415	24E	SWNW	1820FSL	2140FEL
MCU	C-17	430373038500S1	TA	14-20-6035448	11	41S	24E	NENW	0182FNL	3144FEL
MCU	C-19	430371570300S1	Producing	14-20-6035448	11	41S	24E	NESW	1980FSL	2060FWL
14011	F 00	42027457070004	Τ.	14 20 6025450	10	41S	245	SWSW	0510FSL	0510FWL
MCU	F-20	430371570700S1	TA	14-20-6035450	12		-			
MCU	G-20	430373118800S1	SI	14-20-6035450	12	418	24E	SESW	0250FSL	1820FWL
MCU	H-19	430372030400S1	Producing	14-20-6035451	12	41S	24E	NWSE	2035FSL	1900FEL
MCU	H-20	430371570800S1	SI	14-20-6035451	12	41S	24E	SWSE	0300FSL	2200FEL
MCU	N-08	430373101200S1	Broducina	I-149-IND8839	29	406	25E	swsw	0700FSL	0699FWL
MCU MCU		430373101200S1	Producing SI	I-149-IND8839	29	40S		SESW	0750FSL	2030FWL
MCU MCU	O-08 P-08	430371614600S1 430373035500S1	SI	I-149-IND8839	29	40S		SWSE	0765FSL	3170FWL
MCU	17-08	43037303550051	21	1-149-IND0039	29	405	ZOE	SVVSE	10/00FSL	SITUFWI
MCU	P-12	430373027800S1	SI	NOG-99041326	32	40S	25E	SWSE	758FSL	2237FEL
	1									

Water S	Source We	lls (Feb 2006)	
MCU	2	4303712715	Active
MCU	3	4303712716	Active
MCU	4	4303712717	Active
MCU	5	4303712718	Active
MCU	6	4303712719	Active
MCU	7	4303712720	Active
MCU	8	4303712721	Active
MCU	9	4303712722	Active
MCU	10	4303712723	Active
MCU	11	4303712724	Active
MCU	12		Inactive
MCU	13	4303712726	Active
MCU	14	4303712727	Active
MCU	15	4303712728	Active
MCU	16	4303712729	Active
MCU	17	4303712730	Active
MCU	18	4303767001	Active
MCU	19	4303712732	Active
MCU	20	4303712733	Active
MCU	21	4303712734	Active
MCU	PIT1	4303700297	Active

Sundry Number: 41954 API Well Number: 43037306620000 FEDERAL APPROVAL OF THIS ACTION IS NECESSARY

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ		5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-263
	RY NOTICES AND REPORTS ON	_	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO
	oposals to drill new wells, significantly dec reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT OF CA AGREEMENT NAME: MCELMO CREEK
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: MCELMO CR O-21
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOU	IRCES		9. API NUMBER: 43037306620000
3. ADDRESS OF OPERATOR: 1675 Boradway Ste 1950,		HONE NUMBER: 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0796 FNL 1868 FWL			COUNTY: SAN JUAN
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NENW Section:	HIP, RANGE, MERIDIAN: 17 Township: 41.0S Range: 25.0E Meridiar	n: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
Resolute propo necessary rod or p well. Attached is th	COMPLETED OPERATIONS. Clearly show all poses to repair a hole in the tubil lunger changes to restore processore to commence on 9-1	ng and make any duction to the subject I bore diagram. Work	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL APPD EXTENSION OTHER: Depths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining Date: September 19, 2013 By:
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Sherry Glass	303 573-4886	Sr Regulatory Technician	
SIGNATURE N/A		DATE 9/3/2013	

Sundry Number: 41954 API Well Number: 43037306620000



MCU 0-21 796 FNL, 1868 FWL NENW sec. 17-T41S-R25E 43-037-30662

Hole in Tubing


Job Scope


Job Scope includes: PT tubing, TOOH with rods, Release TAC and POOH with 2-3/8" Tubing and tubing pump barrel, Clean out to PBTD @ 5498', Run 2-3/8" Tubing & pump barrel; Run back rods & new pump plunger.

Procedure

- 1. MIRU WSU, LOTO,
- 2. Pressure test tubing to 1000 psig.
- 3. Kill well as necessary
- 4. Unlatch from pump receiver & POOH with rods. Stand back in derrick. Call Bill Albert (970) 371-9682 to inspect rods. If unavailable, contact Tech Support: Virgil Holly (435) 444-0020, or Julius Claw (435) 444-0156. Replace or re-run rods per inspection results.
- 5. ND WH, NU BOPE, prepare to pull & stand back tubing.
- 6. Release the TAC @ 5140' KB. Install a packer. Pressure test BOPE.
- 8. TIH with extra joints to tag fill; current EOT @ 5451.50 KB. If needed, clean out to 5498' PBTD in 5-1/2".
- 9. Use Global N2 if fill cleanout is required; had no fill on the job done in Feb 2013.
- 10. TOOH with tubing & 2" tubing pump barrel. Send pump barrel for shop inspection/service.
- 11. Call and notify Bill Albert to inspect tubing. If unavailable, contact Virgil Holly or Julius Claw.
- 12. If tubing needs replaced, run new 2-3/8" J-55 seamless, NAU with special clearance couplings.
- 13. TIH with mud anchor, pump barrel, TAC, and tubing.
- 14. NDBOP, NUWH.
- 15. RIH with rods & new/serviced pump plunger. Contact Tech Support for pump and rod details.
- 16. Long stroke pump to test for good pumping action.
- 17. Leave enough polished rod for operators to correctly space pump as required.
- 18. Notify the Area Production Supervisor Pierce Benally (435) 619-7234 that well is ready to return to production.
- 19. RDMOL. Hook up appropriate chemical treatment.

Sundry Number: 41954 API Well Number: 43037306620000





	STATE OF UTAH	2050		FORM 9
	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		3	5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-263
SUNDR	Y NOTICES AND REPORTS	ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO
	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGREEMENT NAME: MCELMO CREEK
1. TYPE OF WELL Oil Well				8. WELL NAME and NUMBER: MCELMO CR O-21
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOU	RCES			9. API NUMBER: 43037306620000
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite 2	2800 , Denver, CO, 80203 4535	PHC	NE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0796 FNL 1868 FWL				COUNTY: SAN JUAN
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 17 Township: 41.0S Range: 25.0E Me	ridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
1/15/2015	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN		FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	✓ TUBING REPAIR		/ENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION		OTHER	OTHER:
Resolute Natural Re	completed operations. Clearly shown sources respectfully submit on the above well. Attached procedure	ts thi	s sundry as notice of	German German German German
				By: Don K Dung
NAME (PLEASE PRINT) Erin Joseph	PHONE NUM 303 573-4886	IBER	TITLE Sr. Regulatory Analyst	
SIGNATURE N/A			DATE 1/8/2015	

Sundry Number: 59723 API Well Number: 43037306620000




MCU 0-21 Tubing Repair

Procedure

Horsley Witten: No

- 1. MIRU WSU, LOTO. Be prepared to pump paraffin solvent see 9/10/2014 record above.
- 2. Pressure test tubing to 1000 psig.
- 3. Kill well as necessary. Expect leak just below tbg hanger.
- 4. Unlatch from pump receiver & POOH with rods, standing back in derrick. Call Bill Albert (970) 371-9682 to inspect rods. If unavailable, contact Tech Support: Virgil Holly (435) 444-0020. Replace or re-run rods per inspection results.
- 5. ND WH, NU BOPE, prepare to pull & stand back tubing.
- 6. Release the TAC @ 5176' KB. Pick up tubing & check for leak in top jt. Install a packer; pressure test BOPE. LD packer.
- 7. Consider a replacement TK XT-70 (IPC) joint at surface.
- 8. Pressure test tubing to 1500 psi; if OK, re-set TAC, re-land tubing. If tbg does not PT, pull tubing for inspection, then re-run bha as before.
- 9. NDBOP, NUWH.
- 10. RIH with rods, new/serviced pump plunger & new on/off tool. Contact Tech Support for pump & rod details.
- 11. Long stroke pump to test for good pumping action.
- 12. Leave enough polished rod for operators to correctly space pump as required.
- 13. Notify the Area Production Supervisor Terry Lee (435) 619-7237 that well is ready to return to production.
- 14. RDMOL. Hook up appropriate chemical treatment.

Sundry Number: 59723 API Well Number: 43037306620000



Sundry Number: 61005 API Well Number: 43037306620000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-263
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO
	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.		7.UNIT or CA AGREEMENT NAME: MCELMO CREEK
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: MCELMO CR O-21
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOU	RCES		9. API NUMBER: 43037306620000
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite 2	2800 , Denver, CO, 80203 4535	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0796 FNL 1868 FWL			COUNTY: SAN JUAN
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NENW Section:	HIP, RANGE, MERIDIAN: 17 Township: 41.0S Range: 25.0E Mei	ridian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
1/15/2015	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
 	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	✓ TUBING REPAIR		WATER DISPOSAL
☐ DRILLING REPORT			
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
Resolute Natural tubing repair on the	completed operations. Clearly show resources submits this sure above well was completed oproved procedures on 1/1	ndry as notice that the I according to previously	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 23, 2015
NAME (PI FASE PRINT)	PHONE NUM	BER TITLE	
NAME (PLEASE PRINT) Erin Joseph	303 573-4886	Sr. Regulatory Analyst	
SIGNATURE N/A		DATE 2/19/2015	

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-263
	RY NOTICES AND REPORTS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME: MCELMO CREEK
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: MCELMO CR O-21
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOU	RCES		9. API NUMBER: 43037306620000
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite	2800 , Denver, CO, 80203 4535	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0796 FNL 1868 FWL			COUNTY: SAN JUAN
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NENW Section:	HIP, RANGE, MERIDIAN: 17 Township: 41.0S Range: 25.0E Meri	dian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
4/15/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	New construction
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	☐ REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	▼ TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
Resolute Natural Re	completed operations. Clearly show a sources respectfully submits the above well. Attached an schematic	s this sundry as notice of	
NAME (PLEASE PRINT) Erin Joseph	PHONE NUMB 303 573-4886	ER TITLE Sr. Regulatory Analyst	
SIGNATURE	300 073-4000	DATE	
N/A		4/6/2015	

Sundry Number: 62318 API Well Number: 43037306620000

Resolute


Natural Resources

<u>MCU O 21</u>

Date: March 31, 2015

Horsley Witten: No.

- 1. MIRU WSU, LOTO.
- 2. Pressure test tubing to 1000 psig. Prior test failed.
- 3. Kill well as necessary
- 4. J-off plunger. POOH with rods. Hang back 7/8" rods. Call Bill Albert (970) 371-9682 for inspection. If unavailable, contact Tech Support Virgil Holly or Nate Dee.
- 5. NU BOPE & prepare to pull tubing. Open tubing drain, if possible.
- 6. Release the TAC @ 5161'. Install a packer. Pressure test BOPE, LD pkr.
- 7. TOOH with tubing, standing back, inspecting and looking for the leaks. LD bottom 10 jts above TAC and 2-3/8" tubing below TAC. Tailpipe below TAC to be revamped.
- 8. Call & notify Bill Albert to inspect tubing. If unavail. contact Virgil Holly or Nate Dee.
- 9. Re-run or replace tubing per inspection results. Replace bad jts with 2-3/8" new FBNAU.
- 10. TIH w/ Scraper to 5215' Make several passes over proposed TAC set depth at 5200'. Note: Bottom of 4" liner at 5229' avoid existing liner. POOH.
- 11. RIH with new BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; two 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, two 2-3/8" joints with
- 11. Set tubing anchor at ~5200'.
- 14. NDBOP, NUWH.
- 15. RIH with rods & J on to plunger. Space rods out.
- 16. Long stroke pump to test for good pumping action.
- 17. Leave enough polished rod for operators to adjust space out if required.
- 18. Notify the Area Production Supervisor that well is ready to return to production.
- 19. RDMOL.




Sundry Number: 62318 API Well Number: 43037306620000

McELMO CREEK UNIT #O-21

GREATER ANETH FIELD 796' FNL & 1867' FWL SEC 17-T41S-R25E SAN JUAN COUNTY, UTAH API 43-037-30662

PRODUCER



Sundry Number: 68419 API Well Number: 43037306620000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-263
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO
	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.		7.UNIT or CA AGREEMENT NAME: MCELMO CREEK
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: MCELMO CR 0-21
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOU	RCES		9. API NUMBER: 43037306620000
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite 2	2800 , Denver, CO, 80203 4535	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0796 FNL 1868 FWL			COUNTY: SAN JUAN
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 17 Township: 41.0S Range: 25.0E Me	ridian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
4/22/2015	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON
DRILLING REPORT	▼ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
Resolute Natural R	COMPLETED OPERATIONS. Clearly shown esources respectfully submair on the above well was	nits this sundry as notice	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 17, 2015
NAME (PLEASE PRINT) Erin Joseph	PHONE NUM 303 573-4886	IBER TITLE Sr. Regulatory Analyst	
SIGNATURE N/A		DATE 12/17/2015	

Sundry Number: 73605 API Well Number: 43037306620000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURGE DIVISION OF OIL, GAS, AND MII		5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-263
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME: MCELMO CREEK
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: MCELMO CR 0-21
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOL	JRCES		9. API NUMBER: 43037306620000
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite	2800 , Denver, CO, 80203 4535	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0796 FNL 1868 FWL			COUNTY: SAN JUAN
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 17 Township: 41.0S Range: 25.0E Mer	idian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
✓ SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion: 8/5/2016			
	OPERATOR CHANGE	PLUG AND ABANDON	L PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	✓ TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show	all partinant datails including dates	donths volumes atc
	Resources respectfully subm		
	pair on the above well was o		Accepted by the Utah Division of
	ding to previously approved	-	Oil, Gas and Mining
	J 1	•	FOR RECORD ONLY
			August 08, 2016
NAME (PLEASE PRINT) Erin Joseph	PHONE NUME 303 573-4886	BER TITLE Sr. Regulatory Analyst	
SIGNATURE	223 0.0 .000	DATE	
N/A		8/8/2016	

Sundry Number: 73552 API Well Number: 43037306620000 FEDERAL APPROVAL OF THIS ACTION IS NECESSARY

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-263
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO
	oposals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.		7.UNIT or CA AGREEMENT NAME: MCELMO CREEK
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: MCELMO CR 0-21
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOL	JRCES		9. API NUMBER: 43037306620000
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite	2800 , Denver, CO, 80203 4535	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0796 FNL 1868 FWL			COUNTY: SAN JUAN
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 17 Township: 41.0S Range: 25.0E Me	ridian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
,	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
8/5/2016	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	✓ TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIBE BRODOSED OR	COMPLETED OPERATIONS. Clearly show	wall portinent details including dates	donths volumes etc
Resolute Natural Re	esources respectfully subminities the above well. Attached a schematics	ts this sundry as notice o	
			Date: August 08, 2016
			Ву:
			·
NAME (PLEASE PRINT) Erin Joseph	PHONE NUM 303 573-4886	IBER TITLE Sr. Regulatory Analyst	
SIGNATURE	303 373-4000	DATE	
N/A		8/3/2016	


1. MIRU WSU, LOTO. 2. Pressure test tubing to 1000 psig. Prior test failed. 3. Kill well as necessary 4. J-off plunger. POOH with rods. Hang back 7/8" rods. Contact Tech Support Virgil Holly or Nate for rod inspection. Replace rods per inspection results. 5. NU BOPE & prepare to pull tubing. Open tubing drain, if possible. 6. Release the TAC @ 5215'. Install a packer. Pressure test BOPE, LD pkr. 7. TOOH with tubing, standing back, inspecting and looking for the leaks. 8. Call & notify Virgil Holly or Nate Dee to inspect tubing. 9. Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. 10. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. 11. Set tubing anchor at ~5200' as before. 14. NDBOP, NUWH. 15. RIH with rods & J on to plunger. Space rods out. 16. Long stroke pump to test for good pumping action. 17. Leave enough polished rod for operators to adjust space out if required.		Procedure
 Pressure test tubing to 1000 psig. Prior test failed. Kill well as necessary J-off plunger. POOH with rods. Hang back 7/8" rods. Contact Tech Support Virgil Holly or Nate for rod inspection. Replace rods per inspection results. NU BOPE & prepare to pull tubing. Open tubing drain, if possible. Release the TAC @ 5215'. Install a packer. Pressure test BOPE, LD pkr. TOOH with tubing, standing back, inspecting and looking for the leaks. Call & notify Virgil Holly or Nate Dee to inspect tubing. Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. Set tubing anchor at ~5200' as before. NDBOP, NUWH. RIH with rods & J on to plunger. Space rods out. Long stroke pump to test for good pumping action. 	ey Witt	en: NO.
 Pressure test tubing to 1000 psig. Prior test failed. Kill well as necessary J-off plunger. POOH with rods. Hang back 7/8" rods. Contact Tech Support Virgil Holly or Nate for rod inspection. Replace rods per inspection results. NU BOPE & prepare to pull tubing. Open tubing drain, if possible. Release the TAC @ 5215'. Install a packer. Pressure test BOPE, LD pkr. TOOH with tubing, standing back, inspecting and looking for the leaks. Call & notify Virgil Holly or Nate Dee to inspect tubing. Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. Set tubing anchor at ~5200' as before. NDBOP, NUWH. RIH with rods & J on to plunger. Space rods out. Long stroke pump to test for good pumping action. 		MINITURELLE CATO
 Kill well as necessary J-off plunger. POOH with rods. Hang back 7/8" rods. Contact Tech Support Virgil Holly or Nate for rod inspection. Replace rods per inspection results. NU BOPE & prepare to pull tubing. Open tubing drain, if possible. Release the TAC @ 5215'. Install a packer. Pressure test BOPE, LD pkr. TOOH with tubing, standing back, inspecting and looking for the leaks. Call & notify Virgil Holly or Nate Dee to inspect tubing. Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. Set tubing anchor at ~5200' as before. NDBOP, NUWH. RIH with rods & J on to plunger. Space rods out. Long stroke pump to test for good pumping action. 		
 J-off plunger. POOH with rods. Hang back 7/8" rods. Contact Tech Support Virgil Holly or Nate for rod inspection. Replace rods per inspection results. NU BOPE & prepare to pull tubing. Open tubing drain, if possible. Release the TAC @ 5215'. Install a packer. Pressure test BOPE, LD pkr. TOOH with tubing, standing back, inspecting and looking for the leaks. Call & notify Virgil Holly or Nate Dee to inspect tubing. Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. Set tubing anchor at ~5200' as before. NDBOP, NUWH. RIH with rods & J on to plunger. Space rods out. Long stroke pump to test for good pumping action. 		
for rod inspection. Replace rods per inspection results. 5. NU BOPE & prepare to pull tubing. Open tubing drain, if possible. 6. Release the TAC @ 5215'. Install a packer. Pressure test BOPE, LD pkr. 7. TOOH with tubing, standing back, inspecting and looking for the leaks. 8. Call & notify Virgil Holly or Nate Dee to inspect tubing. 9. Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. 10. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. 11. Set tubing anchor at ~5200' as before. 14. NDBOP, NUWH. 15. RIH with rods & J on to plunger. Space rods out. 16. Long stroke pump to test for good pumping action.		
 NU BOPE & prepare to pull tubing. Open tubing drain, if possible. Release the TAC @ 5215'. Install a packer. Pressure test BOPE, LD pkr. TOOH with tubing, standing back, inspecting and looking for the leaks. Call & notify Virgil Holly or Nate Dee to inspect tubing. Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. Set tubing anchor at ~5200' as before. NDBOP, NUWH. RIH with rods & J on to plunger. Space rods out. Long stroke pump to test for good pumping action. 		
 Release the TAC @ 5215'. Install a packer. Pressure test BOPE, LD pkr. TOOH with tubing, standing back, inspecting and looking for the leaks. Call & notify Virgil Holly or Nate Dee to inspect tubing. Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. Set tubing anchor at ~5200' as before. NDBOP, NUWH. RIH with rods & J on to plunger. Space rods out. Long stroke pump to test for good pumping action. 		
 TOOH with tubing, standing back, inspecting and looking for the leaks. Call & notify Virgil Holly or Nate Dee to inspect tubing. Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. Set tubing anchor at ~5200' as before. NDBOP, NUWH. RIH with rods & J on to plunger. Space rods out. Long stroke pump to test for good pumping action. 		
 8. Call & notify Virgil Holly or Nate Dee to inspect tubing. 9. Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. 10. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. 11. Set tubing anchor at ~5200' as before. 14. NDBOP, NUWH. 15. RIH with rods & J on to plunger. Space rods out. 16. Long stroke pump to test for good pumping action. 		
 Depending upon severity of corrosion, replace bad jts with 2-3/8" new FBNAU or 2-3/8" 70XT. If corrosion is severe, go with 70XT. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. Set tubing anchor at ~5200' as before. NDBOP, NUWH. RIH with rods & J on to plunger. Space rods out. Long stroke pump to test for good pumping action. 		
corrosion is severe, go with 70XT. 10. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. 11. Set tubing anchor at ~5200' as before. 14. NDBOP, NUWH. 15. RIH with rods & J on to plunger. Space rods out. 16. Long stroke pump to test for good pumping action.		
 10. RIH with BHA. 2-3/8" Mud anchor orange peeled, 2-3/8" perf sub; 2" pump barrel with 16 ft GA installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. 11. Set tubing anchor at ~5200' as before. 14. NDBOP, NUWH. 15. RIH with rods & J on to plunger. Space rods out. 16. Long stroke pump to test for good pumping action. 		
installed on bottom; one 3-1/16 blast joints with 2-3/8" EUE thds; tubing drain, one 2-3/8" 70XTjoint, TAC, and 2-3/8" tubing to surface. 11. Set tubing anchor at ~5200' as before. 14. NDBOP, NUWH. 15. RIH with rods & J on to plunger. Space rods out. 16. Long stroke pump to test for good pumping action.		
TAC, and 2-3/8" tubing to surface. 11. Set tubing anchor at ~5200' as before. 14. NDBOP, NUWH. 15. RIH with rods & J on to plunger. Space rods out. 16. Long stroke pump to test for good pumping action.		- "
 11. Set tubing anchor at ~5200' as before. 14. NDBOP, NUWH. 15. RIH with rods & J on to plunger. Space rods out. 16. Long stroke pump to test for good pumping action. 		
14. NDBOP, NUWH.15. RIH with rods & J on to plunger. Space rods out.16. Long stroke pump to test for good pumping action.	····	
15. RIH with rods & J on to plunger. Space rods out.16. Long stroke pump to test for good pumping action.		
16. Long stroke pump to test for good pumping action.		•
17. Leave enough polished rod for operators to adjust space out if required.	16.	
	17.	Leave enough polished rod for operators to adjust space out if required.
	19	. RDMOL.

.

Sundry Number: 73552 API Well Number: 43037306620000

McELMO CREEK UNIT #O-21 GREATER ANETH FIELD 796' FNL & 1867' FWL

SEC 17-T41S-R25E SAN JUAN COUNTY, UTAH API 43-037-30662 PRODUCER



Sundry Number: 73552 API Well Number: 43037306620000

